(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁷: A01H

(21) International Application Number:
PCT/US2003/019212

(22) International Filing Date: 17 June 2003 (17.06.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/390,562   22 June 2002 (22.06.2002)   US

(71) Applicant (for all designated States except US): SYN-GENTA PARTICIPATIONS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).

(72) Inventor; and
(75) Inventor/Applicant (for US only): KHAN, Rafiqul [AU/US]; 3054 Cornwallis Road, Research Triangle Park, NC 27709 (US).

(74) Common Representative: SYNGENTA PARTICIPATIONS AG; 3054 Cornwallis Road, Research Triangle Park, NC 27709 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:
— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,

[Continued on next page]

(54) Title: METHOD OF TRANSFORMING SOYBEAN

Panel A   Panel B   Panel C

Remaining Cotyledon

Epicotyl

Cotyledon

Hypocotyl

Axillary Bud

Primary Leaf

Primary Leaf Base

Axillary Bud Removed

(57) Abstract: The present disclosure provides methods for *Agrobacterium*-mediated transformation of soybean cells or tissue and regeneration of the transformed cells or tissue into transformed plants. The methods may be used for transforming many soybean cultivars.

WO 2004/000006 A2

MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

—   *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations*

Published:

—   *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

METHOD OF TRANSFORMING SOYBEAN

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of United States Provisional Application Serial No. 60/390,562, filed June 22, 2002, the entire contents of which is hereby incorporated by reference.

FIELD OF THE INVENTION

The invention relates generally to methods for plant transformation and, more particularly, to methods for transforming soybean cells or tissues. The invention also relates to methods for regenerating transgenic soybean plants from transformed soybean cells or tissues. The invention also relates to transgenic soybean plants and seeds obtained by such methods.

BACKGROUND

Soybean is a major food and feed source that is grown on more acres worldwide than any other dicotyledonous crop. It is reportedly grown on more than 50 million hectares. Unfortunately, only a few plant introductions have given rise to the major cultivars grown in the United States and, as a consequence, this narrow germplasm base has limited soybean breeding potential. The limited genetic base in domestic soybean varieties has limited the power of traditional breeding methods to develop varieties with improved or value-added traits.

Hence, the use of genetic engineering techniques to modify soybean can facilitate the development of new varieties with, for example, traits such as herbicide resistance, disease resistance (such as virus resistance, for example), and seed quality improvement in a manner that has been unattainable by traditional breeding methods or tissue-culture induced variation.

The development of an efficient transformation system is necessary for the analysis of gene expression in plants. The requirements for such a system include a proper target plant tissue that will allow efficient plant regeneration, a gene delivery

1

vehicle that delivers foreign DNA efficiently into the target plant cells, and an effective method for selecting transformed cells. In genetic transformation of dicotyledonous species, transformation systems utilizing the bacterium *Agrobacterium tumefaciens* have been frequently used as vehicles for gene delivery. The preferred target tissues for *Agrobacterium*-mediated transformation presently include cotyledons, leaf tissues, and hypocotyls. High velocity microprojectile bombardment offers an alternative method for gene delivery into dicotyledonous plants.

Agrobacterium-mediated gene delivery in soybean has been far from routine. In reports that have been available to the public, meristems and cotyledon tissues have been frequently mentioned as targets for use in *Agrobacterium*-mediated gene delivery. However, reliable and efficient transformation and regeneration from these two explant sources are often not accomplished.

U.S. Patent No. 5,169,770 and 5,376,543 to Chee et al. discuss a non-tissue culture method of transforming soybeans to produce transgenic plants, wherein seeds are germinated and meristematic or mesocotyl cell tissues are inoculated with bacterial cells, specifically *Agrobacterium* strains, which, through infection, transfer DNA into the explants. This method depends on the growth of preformed shoots.

Parrott W.A. et al. (1989), "Recovery of primary transformants of soybean," Plant Cell Reports 7:615-617, report recovery of soybean transformants from immature cotyledon tissue after co-cultivation with *Agrobacterium*. However, the regenerated plants were chimeric, and the transgenes were not transmitted to the progeny.

U.S. Patent No. 5,416,011 (to Hinchee et al.) discusses utilizing a cotyledon explant, which requires removal of the hypocotyl, saving and separating the cotyledons and inserting a chimeric gene by inoculation with *Agrobacterium* tumefaciens vectors containing the desired gene.

Yan B. et al. (2000), "*Agrobacterium tumefaciens* – mediated transformation of soybean using immature zygotic cotyledon explants," Plant Cell Reports 19:1090-1097,

report an overall 0.03% transformation frequency in *Agrobacterium*-mediated transformation in soybean with immature cotyledons.

U.S. Patent No. 6,384,301 to Martinell et al. describes *Agrobacterium*-mediated gene delivery into cells in the meristem of an isolated soybean embryonic axis. Their method does not involve a callus-phase tissue culture.

From the work described above, it is clear that the goal of establishing a reliable soybean transformation system is seldom accomplished by the workers involved when meristems and cotyledon tissues are used as source explants for *Agrobacterium*-mediated gene delivery. Therefore, there is a need to continue to exploit new methodology, including new source explants, in order to develop a more efficient soybean transformation system.

It has been demonstrated in soybean tissue culture that plant regeneration may be achieved from epicotyl tissues and primary leaf tissues. However, to-date, no successful transformation has been reported in soybean using these two explant sources as targets for gene delivery.

Wright M.S. et al. (1987) "Initiation and propagation of Glycine max L. Merr.: Plants from tissue-cultured epicotyls," Plant Cell Reports 8:83-90, describes successful initiation and proliferation of shoots from epicotyl tissue of soybean. Explanted epicotyls were induced to form shoots in Schenk and Hildebrandt medium containing 20 μM kinetin for 5 weeks. Shoot proliferation was maintained on N6 medium containing 2.1 nM picloram and 0.1 μM benzyladenine.

Wright M.S. et al. (1987) "Regeneration of soybean (Glycine max L. Merr.) from cultured primary leaf tissue," Plant Cell Reports 6:83-89, describes a reproducible method for regeneration of plants from primary leaf tissue of 27 varieties of soybean They found that while 2,4,5-trichlorophenoxyacetic acid was demonstrated to be essential for regeneration, addition of benzyadenine (BA) was found to enhance regeneration.

Rajasckaren K. et al. (1997) "Somatic embryogenesis from cultured epicotyls and primary leaves of soybean (Glycine max L. Merr)," In Vitro Cellular & Developmental Biology 33(2):88-91, describes regeneration of several varieties of soybean by somatic embryogenesis from cultured epicotyls and primary leaf tissues of immature seeds from greenhouse grown plants. They found that somatic embryogenesis was induced from epicotyls and primary leaves when cotyledon halves with the intact zygotic embryo axes were cultured on Murashige and Skoog (MS) medium supplemented with 46.2 μM 2,4-D. In the absence of being cultured with the cotyledon halves, no embryogenesis was observed from isolated axes, epicotyls or primary leaves. Rapid multiplication of shoot tips from germinating somatic embryos was achieved on Cheng's basal medium containing 11.3 μM benzyladenine.

SUMMARY

The present invention provides a method for transforming soybean cells and regeneration of the transformed cells into transformed plants. The method may be used for transforming many soybean cultivars.

The invention provides a novel soybean explant that enables *Agrobacterium* tumefaciens-mediated gene delivery into soybean cells with high efficiency.

In particular, the invention provides a method for transforming soybean cells or tissue, the method comprising:

(a) preparing an explant from a soybean seed by:

    (i)   removing all or a part of the hypocotyl from said seed;

    (ii)   removing one cotyledon along with its adjacent axillary bud from the seed, and leaving one cotyledon with the epicotyl and primary leaves attached thereto;

    (iii)   removing a portion of a primary leaf from the remaining cotyledon, thereby generating a primary leaf base; and

(b) co-cultivating the explant with *Agrobacterium* comprising a nucleic acid of interest to be incorporated into the genome of the soybean cells.

In additional embodiments, the method further includes one or more of the following: inducing shoot formation from the primary leaf base and the adjacent epicotyl; cultivating the shoot in a medium containing a selection agent; selecting a transformed shoot; and regenerating a transformed plant from the transformed shoot.

In a further embodiment, the invention provides a method for producing a stably transformed soybean plant, the method comprising:

(a) preparing an explant from a soybean seed by:

    (i)   removing all or a part of the hypocotyl from said seed;

    (ii)   removing one cotyledon along with its adjacent axillary bud from the seed, and leaving one cotyledon with the epicotyl and primary leaves attached thereto;

    (ii)   removing a portion of a primary leaf from the epicotyl, thereby generating at least one primary leaf base;

(b) co-cultivating the explant with *Agrobacterium* comprising a nucleic acid of interest to be incorporated into the genome of the soybean cells;

(c) inducing shoot formation from the primary leaf base area;

(d) cultivating a formed shoot in a medium containing a selection agent;

(e) selecting a transformed shoot; and

(f) regenerating a selected transformed shoot into a soybean plant.

In another embodiment, a portion of each of the primary leaves of the explant generated in (a)(ii) is removed, thereby generating a pair of primary leaf bases.

The method of the invention may be employed to introduce any desired nucleic acid into a soybean cell. In one embodiment of the invention, the nucleic acid comprises a gene that would express a desirable agronomic trait in soybean.

In another embodiment of the invention, the nucleic acid comprises a phosphomannose isomerase gene, which is used as a selectable marker gene.

In an additional embodiment of the invention, the co-cultivating of the explant with *Agrobacterium* is carried out in the presence of mannose.

Both mature and immature seeds may be employed to generate the explant used in the present invention.

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 shows a map of plasmid pNOV2105.

FIG. 2 shows a map of plasmid pNOV2145.

FIG. 3 shows a map of plasmid pNOV2147.

FIG. 4 shows an exemplary process for preparing a soybean explant. Panel A depicts a soybean seed embryo in which a part of the hypocotyl is removed. Panel B depicts the soybean explant from Panel A in which one cotyledon is removed along with its adjacent axillary bud. Panel C depicts the soybean explant from Panel B after removal of the two primary leaves, generating a break point at the base of each primary leaf.

FIG. 5 shows a map of plasmid pBSC11234.

FIG. 6 shows a map of plasmid pBSC11369.

DETAILED DESCRIPTION

The present invention will now be described more fully hereinafter with reference to the accompanying figures, in which various embodiments of the invention are described. This invention may, however, be embodied in different forms and should not be construed as limited to the embodiments set forth herein. Rather, these embodiments are provided so that this disclosure will be thorough and complete and will fully convey the scope of the invention to those skilled in the art. The terminology used in the description of the invention herein is for the purpose of describing particular embodiments only and is not intended to be limiting of the invention. As used in the description of the invention and the appended claims, the singular forms "a", "an" and

"the" are intended to include the plural forms as well, unless the context clearly indicates otherwise.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs.

Except as otherwise indicated, standard methods may be used for the production of cloned genes, expression cassettes, vectors (e.g., plasmids), proteins and protein fragments, and transformed cells and plants according to the present invention. Except as otherwise indicated, standard methods may be used for the production of cloned genes, expression cassettes, vectors (e.g., plasmids), proteins and protein fragments according to the present invention. Such techniques are known to those skilled in the art. See e.g., J. Sambrook et al., *Molecular Cloning: A Laboratory Manual Second Edition* (Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, 1989), and F. M. Ausubel et al., *Current Protocols In Molecular Biology* (Green Publishing Associates, Inc. and Wiley-Interscience, New York, 1991); J. Draper et al., eds., *Plant Genetic Transformation And Gene Expression: A Laboratory Manual,* (Blackwell Scientific Publications, 1988); and S.B. Gelvin & R.A. Schilperoort, eds., *Introduction, Expression, And Analysis Of Gene Production In Plants.*

The present invention is drawn to methods and compositions for the stable transformation of soybean with nucleic acid sequences of interest and the regeneration of transgenic soybean plants.

The methods of the invention may be employed to express any nucleic acid of interest in soybean plants. A gene of interest may be, for example, a gene for herbicide resistance, disease resistance, or insect/pest resistance, or is a selectable or scorable marker, and comprises a plant-operable promoter, a coding region, and a 3' terminator region. Herbicide resistance genes include the AHAS gene for resistance to imidazolinone or sulfonyl urea herbicides, the pat or bar gene for resistance to bialaphos

or glufosinate, the EPSP synthase gene for resistance to glyphosate, etc. Disease resistance genes include genes for antibiotic synthetic enzymes, e.g., for pyrrolnitrin synthetic enzymes, plant derived resistance genes, and the like. Insect resistance genes include genes for insecticidal proteins from Bacillus thuringiensis. Genes of interest may also encode enzymes involved in biochemical pathways, the expression of which alters a trait that is important in food, feed, nutraceutical, and/or pharmaceutical production. The gene of interest may be located on a plasmid. A plasmid suitable for use in the present invention may comprise more than one gene of interest and/or the *Agrobacterium* may comprise different plasmids having different genes of interest.

The present invention provides a method for the transformation of varieties of soybean, including *Glycine max*. The method is based on *Agrobacterium*-mediated delivery of a desired gene into a soybean cell followed by regeneration of transformed cell(s) into a transformed soybean plant. The methods of the invention are cultivar independent.

In one embodiment of the invention, an explant is prepared by germinating a soybean mature seed or immature seed collected from a greenhouse grown plant in a seed germination medium for a period of time, removing seed coat and, subsequently, a cotyledon from said mature seed or immature seed. In a preferred embodiment of the invention, a portion of the exposed primary leaves is then removed, thereby creating a break point at the primary leaf base (FIG. 4). *Agrobacterium*-mediated gene delivery is made into the cells at the primary leaf base or in the area of the primary leaf break point. Adventitious shoots are induced from the primary leaf base area of the epicotyl. This induction is achieved by removing pre-existing meristems (i.e., primary, secondary, and axillary meristems) and subjecting the explant to a shoot induction medium containing appropriate growth regulators. The shoot induction process facilitates the development or regeneration of transformed shoots from the targeted primary leaf base cells.

Transformed soybean cells are cultured in the presence of a selection agent. Preferably, the cells are transformed with a phosphomannose isomerase (PMI) gene, and

the transformed cells are cultivated in the presence of mannose. In a medium that contains mannose as a selection agent, soybean cells transformed with a PMI gene have a growth advantage over those that are not so transformed.

The time required for regenerating a transformed soybean plant using the method described in this invention is significantly reduced compared to other *Agrobacterium*-mediated transformation protocols that are reported in the literature. A rooted transformed soybean shoot may be produced 8 to 12 weeks from the initiation of a transformation experiment. A foreign genetic construct, or transgene, to be inserted into the soybean genome is created in vitro by normal techniques of recombinant DNA manipulations. The construct may be comprised of any heterologous nucleic acid. The genetic construct is transformed into the *Agrobacterium* strain for delivery into the soybean cells. The *Agrobacterium* is non-oncogenic, and several such strains are now widely available. The *Agrobacterium* is preferably selected from *A. tumefaciens* and *A. rhizogenes*.

The foreign genetic construct preferably comprises a selectable marker gene. The preferred selectable marker gene is a phosphomannose isomerase gene. Other suitable Selectable marker genes include, but are not limited to, genes encoding: neomycin phosphotransferase II (Fraley et al., *CRC Critical Reviews in Plant Science* 4, 1 (1986)); cyanamide hydratase (Maier-Greiner et al., *Proc. Natl. Acad. Sci. USA* 88, 4250 (1991)); aspartate kinase; dihydrodipicolinate synthase (Perl et al., *BioTechnology* 11, 715 (1993)); *bar* gene (Toki et al., *Plant Physiol.* 100, 1503 (1992); Meagher et al., *Crop Sci.* 36, 1367 (1996)); tryptophane decarboxylase (Goddijn et al., *Plant Mol. Biol.* 22, 907 (1993)); neomycin phosphotransferase (*NEO*; Southern et al., *J. Mol. Appl. Gen.* 1, 327 (1982)); hygromycin phosphotransferase (*HPT* or *HYG*; Shimizu et al., *Mol. Cell. Biol.* 6, 1074 (1986)); dihydrofolate reductase (DHFR); phosphinothricin acetyltransferase (DeBlock et al., *EMBO J.* 6, 2513 (1987)); 2,2- dichloropropionic acid dehalogenase (Buchanan-Wollatron et al., *J. Cell. Biochem.* 13D, 330 (1989)); acetohydroxyacid synthase (United States Patent No. 4,761,373 to Anderson et al.; Haughn et al., *Mol. Gen. Genet.* 221, 266 (1988)); 5-enolpyruvyl-shikimate-phosphate synthase (*aroA*; Comai et

9

al., *Nature* 317, 741 (1985)); haloarylnitrilase (WO 87/04181 to Stalker et al.); acetyl-coenzyme A carboxylase (Parker et al., *Plant Physiol.* 92, 1220 (1990)); dihydropteroate synthase (*suII*; Guerineau et al., *Plant Mol. Biol.* 15, 127 (1990)); and 32 kDa photosystem II polypeptide (*psbA*; Hirschberg et al., *Science* 222, 1346 (1983)).

Also included are genes encoding resistance to chloramphenicol (Herrera-Estrella et al., *EMBO J.* 2, 987 (1983)); methotrexate (Herrera-Estrella et al., *Nature* 303, 209 (1983); Meijer et al., *Plant Mol. Biol.* 16, 807 (1991)); hygromycin (Waldron et al., *Plant Mol. Biol.* 5, 103 (1985); Zhijian et al., *Plant Science* 108, 219 (1995); Meijer et al., *Plant Mol. Bio.* 16, 807 (1991)); streptomycin (Jones et al., *Mol. Gen. Genet.* 210, 86 (1987)); spectinomycin (Bretagne- Sagnard et al., *Transgenic Res.* 5, 131 (1996)); bleomycin (Hille et al., *Plant Mol. Biol.* 7, 171 (1986)); sulfonamide (Guerineau et al., *Plant Mol. Bio.* 15, 127 (1990); bromoxynil (Stalker et al., *Science* 242, 419 (1988)); 2,4-D (Streber et al., *Bio/Technology* 7, 811 (1989)); phosphinothricin (DeBlock et al., *EMBO J.* 6, 2513 (1987)); spectinomycin (Bretagne-Sagnard and Chupeau, *Transgenic Research* 5, 131 (1996)).

In one embodiment, the starting material for the transformation process is a soybean mature seed. In another embodiment, the starting material can be a soybean immature seed from a growing soybean plant. The seed is placed on a germination medium and permitted to germinate for a period of 6-24 hours, preferably for about 6-14 hours, and more preferably for about 8-12 hours. Seeds may also be allowed to germinate for a longer period of time, for example, from 2 to 5 days, if desired.

The seed coat and hypocotyl of the germinating seed is removed. One cotyledon along with its adjacent axillary shoot bud is also removed. Afterwards, the primary leaves are substantially removed, thereby creating an explant comprising the primary leaf base, epicotyl to which the leaf base is attached, and a cotyledon to which the epicotyl is attached. Substantially removed means removal of a major portion of primary leaf tissue.

For *Agrobacterium*-mediated gene transfer, wounding of the plant tissue is known to facilitate gene transfer. Therefore it is preferred, but not necessary, that a wound is created at the leaf base region.

The explant, prepared as described above, is then immersed into an *Agrobacterium* cell suspension for a few minutes to a few hours, typically about 0.5-3 hours, and preferably 1-2 hours. Excessive *Agrobacterium* cell suspension is removed and the remaining *Agrobacterium* are permitted to co-cultivate with the explant on a co-cultivation medium for several days, typically two to five days, and preferably three to four days, under 16h light/8h dark conditions at a temperature of about 22° C ± 2° C.

After co-cultivation, the explant is transferred to a medium (or a series of media) conducive to shoot development and selection of transformed cells, for 8-12 weeks. Such a medium (or media) generally contains a shoot-inducing hormone as well as a selection agent. The regeneration media used in the examples below contain mannose, as the selection agent, as well as benzylaminopurine (BAP), a shoot-inducing hormone. The term hormone also includes cell growth regulating compounds that induce shoot formation, including, but not limited to, auxins (such as, e.g., IAA, NAA, and indole butyric acid (IBA)), cytokinins (such as, e.g., thidiazuron, kinetin, and isopentenyl adenine), and/or gibberellic acids (GA₃).

When shoots reach about 2 cm and with full trifoliate leaf formation, shoots are separated from the explant and placed on a rooting medium to induce root formation. Preferably, the rooting medium also contains a selection agent to further help identify potential transformed shoots. Root formation takes approximately 1-2 weeks, following which the plants can be transferred to soil and grown to full maturity.

Transgenic plants comprising a heterologous nucleic acid (i.e., comprising cells or tissues transformed in accordance with the methods described herein), as well as the seeds and progeny produced by the transgenic plants, are an additional aspect of the present invention. Procedures for cultivating transformed cells to useful cultivars are

11

known to those skilled in the art. Techniques are known for the in vitro culture of plant tissue, and in a number of cases, for regeneration into whole plants. A further aspect of the invention is transgenic plant tissue, plants, or seeds containing the nucleic acids described above. In a preferred embodiment, transformed plants produced using the methods described herein are not chimeric, or only a small proportion of transformed plants is chimeric. This is preferably achieved by extending the period of high cytokinin treatment or by increasing the stringency of mannose selection, or both.

Thus, the transformed cells of the present invention, identified by selection or screening and cultured in an appropriate medium that supports regeneration as provided herein, may then be allowed to mature into plants. Plants are preferably matured either in a growth chamber or greenhouse. Plants are regenerated from about 2-6 weeks after a transformant is identified, depending on the initial tissue. During regeneration, cells may be grown on solid media in tissue culture vessels. Illustrative embodiments of such vessels are petri dishes and Plant Con®s. After the regenerating plants have reached the stage of shoot and root development, they may be transferred to a greenhouse for further growth and testing. As provided above, seeds and progeny plants of the regenerated plants are an aspect of the present invention. Accordingly, the term "seeds" is meant to encompass seeds of the transformed plant, as well as seeds produced from the progeny of the transformed plants. Plants of the present invention include not only the transformed and regenerated plants, but also progeny of transformed and regenerated plants produced by the methods described herein.

Plants produced by the described methods may be screened for successful transformation by standard methods described above. Seeds and progeny plants of regenerated plants of the present invention may be continuously screened and selected for the continued presence of the transgenic and integrated nucleic acid sequence in order to develop improved plant and seed lines, which are another aspect of the present invention. Desirable transgenic nucleic acid sequences may thus be moved (i.e., introgressed or inbred) into other genetic lines such as certain elite or commercially valuable lines or varieties. Methods of introgressing desirable nucleic acid sequences into genetic plant

lines may be carried out by a variety of techniques known in the art, including by classical breeding, protoplast fusion, nuclear transfer and chromosome transfer. Breeding approaches and techniques are known in the art, and are set forth in, for example, J. R. Welsh, Fundamentals of Plant Genetics and Breeding (John Wiley and Sons, New York, (1981)); Crop Breeding (D. R. Wood, ed., American Society of Agronomy, Madison, Wisconsin, (1983)); O. Mayo, The Theory of Plant Breeding, Second Edition (Clarendon Press, Oxford, England (1987)); and Wricke and Weber, Quantitative Genetics and Selection Plant Breeding (Walter de Gruyter and Co., Berlin (1986)). Using these and other techniques in the art, transgenic plants and inbred lines obtained according to the present invention may be used to produce commercially valuable hybrid plants and crops, which hybrids are also an aspect of the present invention.

The foregoing is illustrative of the various embodiments of the present invention and is not to be construed as limiting thereof.

The invention will be further described by the following examples, which are not intended to limit the scope of the invention in any manner.

EXAMPLE 1

Transformation Vectors

The plasmid pNOV2105 (FIG. 1) is a modification of pVictor, which is disclosed and described in WO 97/04112 in that the 35S promoter is replaced with a SMAS promoter, the 35S terminator is replaced with the Nos terminator, and an additional SMAS promoter is inserted upstream of the GUSintronGUS sequence, which is flanked on its 3' end by a Nos terminator. pNOV2105 employed in the methods described herein does not contain the multicloning site that is found in pVictor. However, it is well within the skill in the art to add such a cloning site, if desired.

pNOV2105 (FIG. 1) is a vector for *Agrobacterium*-mediated plant transformation and contains the Ti right and left border sequences from the nopaline type pTiT37

plasmid (Yadav et al. 1982 Proc Natl Acad Sci 79:6322-6326) flanking the genes phosphomannose isomerase (PMI) and beta-glucoronidase (GUS).

For replication and maintenance in E. coli, the plasmid contains the origin of replication from the E. coli plasmid pUC19 (pUC19ori) (Yanish-Perron et al. 1985 Gene 33:103-119), and for replication and maintenance in *Agrobacterium tumefaciens* the plasmid further contains the origin of replication from the Pseudomonas plasmid pVS1 (pVS1ori) (Itoh et al. 1984 Plasmid 11:206-220; Itoh and Haas 1985 Gene 36:27-36). For selection in *E. coli* and *Agrobacterium tumefaciens*, the plasmid contains the spectinomycin/streptomycin resistance gene (spec/strep) from the transposon Tn7 encoding the enzyme 3"(9)-O-nucleotidyltransferase (Fling et al. 1985 Nucleic Acids Res 19:7095-7106). The spec/strep resistance gene is fused to the tac promoter (see, e.g., Amann et al. 1983 Gene 25(203):167-78) for efficient expression in the bacterium.

The T-DNA segment between the right and left border harbors the following genes, which are the only genes transferred to the soybean plant via the *Agrobacterium tumefaciens*-mediated transformation.

GUSintronGUS

beta-glucuronidase (GUS): This segment next to the right border contains the beta-glucuronidase gene (GUS) from *E. coli* with an intron in the coding region to prevent translation by *Agrobacterium* fused to the SMAS promoter and Nos terminator. The GUSintronGUS gene was isolated from plasmid pBISN1. (Narasimhulu et al. 1986 Early transcription of *Agrobacterium* DNA in tobacco and maize, Plant Cell 8:873-866).

phosphomannose isomerase (PMI): This segment next to the left border is the mannose-6-phosphate isomerases gene from E. coli (Miles and Guest 1984, Gene 32:41-48) fused to the SMAS promoter (Ni M, Cui D, Einstein J, Narasimhulu S, Vergara CE, Gelvin SB (1995) and Nos terminator. The phosphomannose isomerase gene is used as a .selection marker to select transgenic shoots on media containing D-mannose as the carbon source. .

The components and sequence of pNOV2145 (FIG. 2) are set forth in SEQ ID NO:1. The components and sequence of pNOV2147 (FIG. 3) are set forth in SEQ ID NO:2.

EXAMPLE 2

Transformation and Regeneration

Mature dried soybean seeds (Var. S42 H1) were surface sterilized by releasing chlorine gas inside a desiccator. Seeds were kept in petri plates and chlorine gas was produced by pouring 100 ml of Clorox® into a beaker and slowly adding 8 ml of concentrated HCl. Seeds were sterilized by at least two gas release treatments each lasting for 8-18 hours.

Sterilized seeds (approximately 15-20 seeds per plate) were then placed on a germination medium containing 0.6% agar-solidified MS basal medium (Murashige and Skoog (1962) A revised medium for rapid growth and bioassays with tobacco callus cultures. Physiol Plant 15: 473-479) and 2% sucrose. The pH was maintained at 5.8. The petri plates were placed in a room at 37° C for overnight growth or imbibition of seeds. The seed coat was removed, followed by removing part of the hypocotyl, keeping about 0.5 cm of the hypocotyl. One cotyledon was removed along with its adjacent axillary shoot bud and was discarded. On the remaining cotyledon, the primary leaves were broken apart using a scalpel, leaving the primary leaf bases on the epicotyl. (FIG. 4)

Agrobacterium strain (LBA 4404) containing the plasmid pNOV 2145 (ZsGreen1 and PMI, as described in Example 1) was streaked from frozen glycerol stocks onto YEP plates (yeast extract 10 g/L, peptone 5 g/L, NaCl 5g/L, bacto agar 15 g/L) containing appropriate antibiotic (100 mg/L spectinomycin). *Agrobacterium* was then incubated at 27° C for 1-2 days. A scoop of *Agrobacterium* from plates were grown on 100 ml YEP liquid medium containing an antibiotic (100 mg/L spectinomycin) for overnight growth at 27° C on a shaker. Bacterial suspensions were centrifuged at about 1500 g for 15 minutes and resuspended to a density of OD $_{660}$ = 0.2 or 0.65 in a co-cultivation liquid

medium (B$_5$ salts 0.05X (Sigma), B$_5$ vitamins (0.05X) (B$_5$ vitamin composition (1X): inositol 100 mg/L, nicotinic acid 1 mg/L, pyridoxine HCl 1 mg/L, thiamine HCl 10 mg/L), acetosyringone 40 mg/L, sucrose 20 g/L, BAP 2 mg/L, GA$_3$ 0.25 mg/L, MES (Morpholino ethanesulfonic acid) 3.9 g/L, and pH 5.4.

The explants containing the target tissue were immersed into *Agrobacterium* suspension and incubated for 1-2 hours. The *Agrobacterium* suspension was poured off, and the treated explants were placed onto a filter paper inside co-cultivation plates. The adaxial side of the explants was kept in contact with the filter paper. The co-cultivation solid medium was composed of B$_5$ salts (Sigma, 0.05X), B$_5$ vitamins (0.05X), 40 mg/L acetosyringone, sucrose 20 g/L, BAP 2 mg/L, GA$_3$ 0.25 mg/L, MES 3.9 g/L, and pH 5.4. The medium was solidified with 0.5% purified agar (Sigma).

The explants were co-cultivated with the *Agrobacterium* at 20-23° C for a period of 2-5 days, under 16h light/8h dark conditions. After co-cultivation, the explants were washed in sterile water containing 250 mg/L cefotaxime, primary and secondary meristems were removed, and the explants were transferred to regeneration medium (i.e., REG-1 medium). During the regeneration process, any axillary shoots adjacent to the cotyledon were also removed to encourage growth from the area of the primary leaf base.

REG-1 medium contained MS salts (1X), B$_5$ vitamins (1X), KNO$_3$ 1 g/L, BAP 1 mg/L, ticarcillin 300 mg/L, cefotaxime 100 mg/L, glutamine 250 mg/L, asparagine 50 mg/L, mannose 15-30 g/L, sucrose 0, 0.25, and 1 g/L, pH 5.6, and purified agar 10 g/L. Five explants were placed in each petri plate in an upright position, such that the epicotyl end of the explant was inserted into the medium. The plates were kept inside a plastic container and placed in a culture room at 22-25° C, under an 18-20 hr light/4-6 hr dark cycle at 60-100 µE m^{-2} S^{-1}. After 2 weeks on REG-1 medium, explants were transferred to REG-2 medium, which contained MS salts (1X) and B$_5$ vitamins (1X), KNO$_3$ 1 g/L, BAP 0.5 mg/L, ticarcillin 300 mg/L, cefotaxime 100 mg/L, glutamine 250 mg/L, asparagine 50 mg/L, mannose 15 g/L, and sucrose 1g/L. The media pH was maintained at 5.6, and the media was solidified with purified agar 10 g/L.

At 4-6 weeks, the soybean cultures were transferred to REG-3 medium for continuing selection and shoot development. REG-3 medium contained MS salts (1X), B₅ vitamins (1X), KNO₃ 1 g/L, BAP 0.2 mg/L, GA₃ 0.5 mg/L, IBA 0.1 mg/L, ticarcillin 300 mg/L, cefotaxime 100 mg/L, glutamine 250 mg/L, asparagine 50 mg/L, mannose 15 g/L, sucrose 1g/L, pH 5.6, and the medium was solidified with purified agar 10 g/L. Dead tissue was removed and explants with regenerating shoots were subcultured in fresh REG-3 medium every two weeks. Elongated shoots were continuously harvested from the cultures when they reached about 2-4 cm in length. At that time, shoots were transferred to a rooting medium, which contained MS salts (0.5X), B₅ Vitamins (0.5X), glutamine 250 mg/L, asparagine 50 mg/L, KNO₃ 1 g/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, sucrose 15 g/L, IBA 0.5 mg/L, pH 5.6, and purified agar 10g/L.

Rooted transgenic shoots expressing a fluorescent protein gene (ZsGreen1) were transferred to 2" pots which contained moistened Fafard germinating mix (Conrad Fafard Inc., MA, USA) and were kept covered with plastic cups for maintaining moisture for approximately 2 weeks. Plants were acclimatized at 27-29° C day temperature, 21° C night temperature, and a 16h photoperiod (20-40 μE m^{-2} S^{-1} light intensity). When new leaves began to emerge, plants were transferred to one-gallon pots which contained a soil mixture composed of 50-55% composted pine bark, 40-45% Peat, 5-10% Perlite (Sungrow Horticultural Supply, Pine Bluff, Arkansas). Acclimatized soybean plants were grown in the greenhouse at 27-29° C day temp, 21° C night temp, 400-600 μE m^{-2} S^{-1} light intensity, 70-95% relative humidity, and a 16 hr photoperiod. The plants were fertilized with osmocote (Scotts-Sierra Horticultural Products Company, Ohio; 17-6-12) twice (5-8 g/gallon soil) during the growth period. Transformation was confirmed by Taqman analysis for the presence of the fluorescent protein gene as well as the PMI gene in the leaves of the greenhouse grown plants. Expression of the fluorescent protein gene in the transformed soybean tissue was also confirmed by visualizing the expression using a fluorescent microscope.

Six transgenic plants developed using the gene construct pNOV2145 were confirmed by Southern blot analyses. Progeny analysis of one event for either the PMI gene or the ZsGreen1 gene revealed one integration site of the T-DNA into the genome

of the transformed soybean, and the progeny segregated in a 3:1 ratio in the T1 generation.

Table 1. Transformed shoots expressing fluorescent protein gene (Zsgreen1)

Expt No.	Gene construct	Transformed shoots/explant	Percent tr. shoots
75	pNOV2145	5/45	11
89	pNOV2145	5/75	7

EXAMPLE 3

Soybean seeds (Var. S42 H1) were surface sterilized and explants were prepared as described in Example 2.

Agrobacterium strain (LBA 4404) carrying the plasmid pNOV2147 was prepared as described in Example 1. The final bacterial concentration was adjusted to OD $_{660}$ = 0.60 with a co-cultivation liquid medium. The conditions for explant preparation, *Agrobacterium* inoculation, and co-cultivation were the same as those described in Example 2.

Following three days of co-cultivation in a solid co-cultivation medium, excessive *Agrobacterium* was washed off, primary and secondary meristems were removed, and the explants were transferred to REG-1 medium. They were cultured at 28-30° C in 16h light and 8h dark conditions. After 2 weeks on REG-1 medium, the cultures were transferred to REG-2 medium. During this regeneration process, only shoots arising from the base of a primary leaf were kept. At about the 4th week, the shoot cultures were transferred to REG-3 medium. They were then transferred to fresh REG-3 medium every 10-14 days. As in REG-1 and REG-2 medium, only the new shoots arising from the base of a primary leaf were kept while the rest of the shoots were removed. When elongated shoots reached about 2-4 cm in length, they were separated from the rest of the shoot cultures and transferred to rooting medium.

Five transgenic shoots out of 35 explants were identified as expressing the cyano fluorescent protein gene (Table 2).

Table 2. Transformed shoots expressing the cyano fluorescent protein gene

Experiment No.	Gene construct	Transformed shoots/explants	% transformed shoots
92	pNOV2147	5/35	14

EXAMPLE 4

Mannose treatment during co-cultivation

The gene construct used in this example was pNOV2145 (which comprises ZsGreen1 and PMI genes, as described in Example 1). The procedures for preparing the explants, Agrobacteria suspensions, and inoculation of explants with bacterial suspensions were carried out as described in Example 2. The final bacterial concentration was adjusted to OD $_{660}$ = 0.55 or 0.85.

Following the inoculation step, explants were transferred to a co-cultivation medium containing either 20 g/L sucrose or 15 g/L mannose and were kept at 20-23° C under 16h light and 8h dark conditions.

After 3-5 days of co-cultivation, expression of the fluorescent protein gene was visualized using a fluorescent microscope. Explants that were inoculated with *Agrobacterium* in a mannose-containing co-cultivation medium showed at least two-fold the number of fluorescent spots compared to those co-cultivated in a sucrose-containing co-cultivation medium. Subsequent shoot regeneration and selection steps were followed as those described in Example 2.

A significant increase in the production of transformed shoots was observed in the experiments where mannose was included in the co-cultivation medium (Table 3). Five transformed shoots from co-cultivation medium that included mannose were rooted and transferred to soil. Subsequent analysis by Taqman as well as Southern blot confirmed the integration of the transgenes. Transgene expression in the T1 progeny confirmed the germline transmission of the transgenes.

Table 3. Transformed shoots expressing ZsGreen1 fluorescent protein gene where explants and Agrobacteria were co-cultivated in mannose or sucrose

Experiment No.	Gene construct	Co-culture in mannose/sucrose	Transformed shoots/explants	% Transformation
87	pNOV2145	Sucrose	0/60	0
		Mannose	6/80	7.5
102	pNOV2145	Sucrose	1/20	5
		Mannose	8/40	20

EXAMPLE 5

In this example, *Agrobacterium* EHA101 comprising the plasmid pNOV2105 (SMAS-PMI SMAS-GUS, as described in Example 1) was used in soybean transformation. The preparation of the explants, Agrobacteria suspension, and inoculation of explants with Agrobacteria were the same as those described in Example 2. The final bacterial concentration was adjusted to OD $_{660}$ = 0.45 or 0.6.

Following *Agrobacterium* inoculation, explants were transferred to a co-cultivation medium containing either 20 g/L sucrose or 15 g/L mannose. Co-cultivation was carried out at 20-23° C under a 16h light and 8h dark conditions. Following 3-5 days of co-cultivation, GUS gene expression was visualized using a histochemical gus assay. Explants co-cultivated in mannose-containing co-cultivation medium showed at least two-fold the number of GUS spots compared to those co-cultivated in sucrose-containing co-cultivation medium. Shoot regeneration and selection were carried out as described in Example 2. A significant increase in the production of transformed shoots was observed in the experiment in which mannose was added into the co-cultivation medium. (Table 4).

Table 4. Transformed shoots expressing GUS gene

Experiment No.	Gene construct	Co-cultivation in mannose/sucrose	Transformed shoots/explant	% Transformation
63	pNOV2105	sucrose	5/60	8
81	pNOV2105	Sucrose	2/30	7
		Mannose	5/30	17

EXAMPLE 6

In this example, *Agrobacterium* EHA101 comprising the plasmid pBSC11234 (FIG. 5) was used in soybean transformation. The components and sequence of pBSC11234 are set forth in SEQ ID NO:3. pBSC11234 comprises a CMP-PMI : beta conglycinin-galactosidase gene construct. The preparation of the explants, Agrobacteria suspension, and inoculation of explants with Agrobacteria were the same as those described in Example 2. The final bacterial concentration was adjusted to OD $_{660}$ = 0.6. The co-cultivation liquid medium contained B$_5$ salts (0.1X), B$_5$ vitamins (1X), acetosyringone 80 mg/L, sucrose 20 g/L, BAP 2 mg/L, GA$_3$ 0.25 mg/L, MES 3.9 g/L, and pH 5.4. Solid co-cultivation medium was prepared by incorporating 5 g/L purified agar to the liquid co-cultivation medium.

Following *Agrobacterium* inoculation, explants were transferred to a solid co-cultivation medium and cultured at 20-24° C under 16h light and 8h dark conditions. Following 3-5 days of co-cultivation, primary and secondary shoot meristems were removed and discarded, and the resulting explants were transferred to REG-4 medium, which contained B$_5$ salts (1X), B$_5$ Vitamins (1X), BAP 1 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, mannose 15-20 g/L, sucrose 0, 0.25, or 1 g/L, purified agar 10 g/L, and pH at 5.6. After a period of 5-7 days, any shoot grown from the axillary meristem close to the cotyledon was removed, and the explants were transferred to REG-5 medium, which contained B$_5$ salts (1X), B$_5$ Vitamins (1X), BAP 0.5 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, mannose 15 g/L, sucrose 1 g/L, purified agar 10 g/L, and pH at 5.6.

At four weeks, explants were transferred to REG-6 medium for elongation of shoots. REG-6 medium contained MS salts (1X), MS Vitamins (1X) (MS vitamin composition: inositol 100 mg/L, nicotinic acid 0.5 mg/L, pyridoxine HCl 0.5 mg/L, thiamine HCl 0.1 mg/L, glycine 2 mg/L), myo-inositol 200 mg/L, BAP 0.2 mg/L, zeatin riboside 0.5 mg/L, IBA 0.1 mg/L, GA₃ 1 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, ticarcillin 300 mg/L, mannose 15 g/L, sucrose 5 g/L, silver nitrate 0.8 mg/L, purified agar 10 g/L, and pH 5.6. Explants were transferred to fresh REG-6 medium every two weeks. Elongated shoots (2-4 cm long) were removed and rooted in rooting medium and transferred to soil. The rooting medium contained MS salts (1X), B₅ Vitamins (1X), glutamine 100 mg/L, asparagine 100 mg/L, IBA 0.7 mg/L, timentin 100 mg/L, and sucrose 15 g/L. Taqman analysis confirmed the presence of the transgenes (alpha galactosidase and phosphomannose isomerase) in leaf samples from two events.

EXAMPLE 7

In this example, *Agrobacterium* EHA101 comprising the plasmid pBSC11369 (FIG. 6) was used in soybean transformation. The components and sequence of pBSC11369 are set forth in SEQ ID NO:4. pBSC11369 comprises a CMP-HPT: CMP-ZsGreen1 gene construct. The preparation of the explants, Agrobacteria suspension, and inoculation of explants with Agrobacteria were the same as those described in Example 2. The final bacterial concentration was adjusted to OD $_{660}$ = 0.6. The co-cultivation liquid medium contained B₅ salts (0.1X), B₅ vitamins (1X), acetosyringone 80 mg/L, sucrose 20 g/L, BAP 2 mg/L, GA₃ 0.25 mg/L, MES 3.9 g/L, and pH 5.4. Solid co-cultivation medium was prepared by incorporating 5 g/L purified agar to the liquid co-cultivation medium.

Following *Agrobacterium* inoculation, explants were transferred to a solid co-cultivation medium and cultured at 20-24° C under 16h light and 8h dark conditions. Following 3-5 days of co-cultivation, explants were transferred to REG-7 medium after removing primary and secondary meristems from the explants in order to encourage shoot growth from the primary leaf base area. REG-7 medium contained B₅ salts (1X), B₅ Vitamins (1X), BAP 1 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, sucrose 30 g/L, hygromycin 2-5 mg/L, purified agar 10 g/L,

and pH 5.6. Explants were placed in an upright position such that the epicotyl end of the explant was inserted into the medium. After a period of 7-10 days, any shoots grown from the axillary meristem close to the cotyledon were removed. Explants were transferred to fresh REG-8 medium, which contained B_5 salts (1X), B_5 Vitamins (1X), BAP 0.5 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, sucrose 30 g/L, purified agar 10 g/L, and pH at 5.6. After another two weeks, explants were transferred to REG-9 medium and subcultured thereafter every two weeks. REG-9 medium contained MS salts (1X), MS Vitamins (1X), myo-inositol 200 mg/L, BAP 0.2 mg/L, zeatin riboside 0.5 mg/L, IBA 0.1 mg/L, GA_3 1 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, silver nitrate 0.8 mg/L, ticarcillin 300 mg/L, sucrose 30 g/L, hygromycin 0.1-0.2 mg/L, purified agar 10 g/L, and pH 5.6. Elongated shoots (2-4 cm long) were removed, rooted in rooting medium, and then transferred to soil. The rooting medium contained MS salts (1X), B_5 Vitamins (1X), glutamine 100 mg/L, asparagine 100 mg/L, IBA 0.7 mg/L, timentin 100 mg/L, and sucrose 15 g/L. Taqman analysis confirmed the presence of the transgenes (HPT as well as ZsGreen1) in leaf samples obtained from five events. Expression of the ZsGreen1 gene in plant parts was confirmed by visualization under a fluorescent microscope.

All publications, patents, and patent applications cited herein are incorporated by reference. While in the foregoing specification this invention has been described in relation to certain preferred embodiments thereof, and many details have been set forth for purposes of illustration, it will be apparent to those skilled in the art that the invention is susceptible to additional embodiments and that certain of the details described herein may be varied considerably without departing from the basic principles of the invention.

CLAIMS

What is claimed is:

1.   A method for transforming soybean cells or tissue, comprising:

    (a)   preparing an explant from a soybean seed by:

        (i)   removing a hypocotyl from said soybean seed;

        (ii)   removing one cotyledon along with its adjacent axillary bud, leaving primary leaves attached to a remaining cotyledon; and

        (iii)   removing a portion of a primary leaf from said remaining cotyledon, thereby generating a primary leaf base; and

    (b)   co-cultivating said explant with *Agrobacterium* comprising at least one nucleic acid of interest to be incorporated into a genome of one or more soybean cells.

2.   The method of claim 1, further comprising cultivating at least one formed shoot in a medium containing a selection agent.

3.   The method of claim 2, wherein said at least one nucleic acid of interest comprises a selectable marker gene.

4.   The method of claim 3, wherein said selectable marker gene is a phosphomannose isomerase gene.

5.   The method of claim 4, wherein said selection agent is mannose.

6.   The method of claim 4, wherein co-cultivation with said *Agrobacterium* is carried out in the presence of mannose.

7.   The method of claim 2, further comprising inducing shoot formation from said primary leaf base.

8.   The method of claim 7, wherein shoot formation is induced by culturing said primary leaf base in a medium comprising a shoot-inducing hormone.

9.   The method of claim 8, wherein said shoot-inducing hormone comprises at least one of an auxin, a cytokinin, and a gibberellic acid.

10.   The method of claim 9, wherein said auxin is selected from the group consisting of IAA, NAA, and IBA.

11.   The method of claim 9, wherein said cytokinin is selected from the group consisting of benzylaminopurine (BAP), thidiazuron, kinetin, and isopentenyl adenine.

12.   The method of claim 7, wherein induction of shoot formation comprises removing one or more of a primary meristem, a secondary meristem, and an axillary meristem attached to a cotyledon.

13.   The method of claim 7, further comprising selecting a transformed shoot.

14.   The method of claim 13, further comprising regenerating a selected transformed shoot into a soybean plant.

15.   The method of claim 1, wherein said soybean seed is a mature seed.

16.   The method of claim 1, wherein said soybean seed is an immature seed.

17.   The method of claim 1, wherein said soybean seed is a germinated seed.

18.   A method for producing a stably transformed soybean plant, comprising:

        (a)   preparing an explant from a soybean seed by:

                (i)   removing a hypocotyl from said soybean seed;

                (ii)   removing one cotyledon along with its adjacent axillary bud, leaving primary leaves attached to a remaining cotyledon; and

25

(iii) removing a portion of each primary leaf from said remaining cotyledon, thereby generating a pair of primary leaf bases;

(b)   co-cultivating said explant with *Agrobacterium* comprising a nucleic acid of interest to be incorporated into a genome of a soybean cell;

(c)   inducing shoot formation from each primary leaf base;

(d)   cultivating at least one formed shoot in a medium containing a selection agent;

(e)   selecting a transformed shoot; and

(f)   regenerating a selected transformed shoot into a soybean plant.

19.   A transgenic soybean plant regenerated from soybean cells or tissue transformed according to the method of claim 1.

20.   A transgenic seed produced by the transgenic plant of claim 19.

21.   A transgenic soybean plant regenerated from soybean cells or tissue transformed according to the method of claim 18.

22.   A transgenic seed produced by the transgenic plant of claim 21.

1/4

FIG. 1

FIG. 2

FIG. 3

Panel A

Epicotyl

Hypocotyl

Cotyledon

Panel B

Axillary Bud

Primary Leaf

Remaining Cotyledon

Panel C

Primary Leaf Base

Axillary Bud Removed

FIG. 4

4/4

FIG. 5

FIG. 6

70094 Syngenta
SEQUENCE LISTING

<110> Syngenta Participations AG

<120> METHOD OF TRANSFORMING SOYBEAN

<130> 70094 USPS

<160> 4

<170> PatentIn version 3.2

<210> 1
<211> 9555
<212> DNA
<213> Artificial

<220>
<223> pNOV2145

<400> 1

```
gatccaccgg tcgccaccat ggcccagtcc aagcacggcc tgaccaagga gatgaccatg    60

aagtaccgca tggagggctg cgtggacggc cacaagttcg tgatcaccgg cgagggcatc   120

ggctacccct tcaagggcaa gcaggccatc aacctgtgcg tggtggaggg cggccccttg   180

cccttcgccg aggacatctt gtccgccgcc ttcatgtacg gcaaccgcgt gttcaccgag   240

tacccccagg acatcgtcga ctacttcaag aactcctgcc ccgccggcta cacctgggac   300

cgctccttcc tgttcgagga cggcgccgtg tgcatctgca acgccgacat caccgtgagc   360

gtggaggaga actgcatgta ccacgagtcc aagttctacg gcgtgaactt ccccgccgac   420

ggccccgtga tgaagaagat gaccgacaac tgggagccct cctgcgagaa gatcatcccc   480

gtgcccaagc agggcatctt gaagggcgac gtgagcatgt acctgctgct gaaggacggt   540

ggccgcttgc gctgccagtt cgacaccgtg tacaaggcca gtccgtgcc ccgcaagatg   600

cccgactggc acttcatcca gcacaagctg acccgcgagg accgcagcga cgccaagaac   660

cagaagtggc acctgaccga gcacgccatc gcctccggct ccgccttgcc ctgagcggcc   720

ctctagatcc ccgaatttcc ccgatcgttc aaacatttgg caataaagtt tcttaagatt   780

gaatcctgtt gccggtcttg cgatgattat catataattt ctgttgaatt acgttaagca   840

tgtaataatt aacatgtaat gcatgacgtt atttatgaga tgggttttta tgattagagt   900

cccgcaatta tacatttaat acgcgataga aacaaaata tagcgcgcaa actaggataa   960

attatcgcgc gcggtgtcat ctatgttact agatcgggaa ttgggtaccg aattcactgg   1020

ccgtcgtttt acaacgtcgt gactgggaaa accctggcgt tacccaactt aatcgccttg   1080

cagcacatcc ccctttcgcc agctggcgta atagcgaaga ggcccgcacc gatcgccctt   1140

cccaacagtt gcgcagcctg aatggcgaat ggcgcctgat gcggtatttt ctccttacgc   1200

atctgtgcgg tatttcacac cgcatatggt gcactctcag tacaatctgc tctgatgccg   1260
```

Page 1

70094 Syngenta

```
catagttaag ccagccccga cacccgccaa cacccgctga cgcgccctga cgggcttgtc  1320
tgctcccggc atccgcttac agacaagctg tgaccgtctc cgggagctgc atgtgtcaga  1380
ggttttcacc gtcatcaccg aaacgcgcga gacgaaaggg cctcgtgata cgcctatttt  1440
tataggttaa tgtcatgata ataatggttt cttagacgtc aggtggcact tttcggggaa  1500
atgtgcgcgg aacccctatt tgtttatttt tctaaataca ttcaaatatg tatccgctca  1560
tgagacaata accctgataa atgcttcaat ggcgcgccgg taccagcttg catgcctgca  1620
ggtcgactct agaggatcct ggcagacaaa gtggcagaca tactgtccca caaatgaaga  1680
tggaatctgt aaaagaaaac gcgtgaaata atgcgtctga caaaggttag tcggctgcc   1740
tttaatcaat accaaagtgg tccctaccac gatggaaaaa ctgtgcagtc ggtttggctt  1800
tttctgacga caaataaga ttcgtggccg acaggtgggg gtccaccatg tgaaggcatc   1860
ttcagactcc aataatggag caatgacgta agggcttacg aaataagtaa gggtagtttg  1920
ggaaatgtcc actcacccgt cagtctataa atacttagcc cctccctcat tgttaaggga  1980
gcaaatctc agagagatag tcctagagag agaaagagag caagtagcct agaagtagga   2040
tccccgatca tgcaaaaact cattaactca gtgcaaaact atgcctgggg cagcaaaacg  2100
gcgttgactg aactttatgg tatggaaaat ccgtccagcc agccgatggc cgagctgtgg  2160
atgggcgcac atccgaaaag cagttcacga gtgcagaatg ccgccggaga tatcgtttca  2220
ctgcgtgatg tgattgagag tgataaatcg actctgctcg gagaggccgt tgccaaacgc  2280
tttggcgaac tgcctttcct gttcaaagta ttatgcgcag cacagccact ctccattcag  2340
gttcatccaa acaaacacaa ttctgaaatc ggttttgcca aagaaaatgc cgcaggtatc  2400
ccgatggatg ccgccgagcg taactataaa gatcctaacc acaagccgga gctggttttt  2460
gcgctgacgc ctttccttgc gatgaacgcg tttcgtgaat tttccgagat tgtctcccta  2520
ctccagccgg tcgcaggtgc acatccggcg attgctcact ttttacaaca gcctgatgcc  2580
gaacgtttaa gcgaactgtt cgccagcctg ttgaatatgc agggtgaaga aaaatcccgc  2640
gcgctggcga ttttaaaatc ggccctcgat agccagcagg gtgaaccgtg caaacgatt   2700
cgtttaatttt ctgaattta cccggaagac agcggtctgt tctccccgct attgctgaat  2760
gtggtgaaat tgaaccctgg cgaagcgatg ttcctgttcg ctgaaacacc gcacgcttac  2820
ctgcaaggcg tggcgctgga agtgatggca aactccgata acgtgctgcg tgcgggtctg  2880
acgcctaaat acattgatat ccggaactg gttgccaatg tgaaattcga agccaaaccg  2940
gctaaccagt tgttgaccca gccggtgaaa caaggtgcag aactggactt cccgattcca  3000
gtggatgatt ttgccttctc gctgcatgac cttagtgata aagaaccac cattagccag  3060
cagagtgccg ccattttgtt ctgcgtcgaa ggcgatgcaa cgttgtggaa aggttctcag  3120
cagttacagc ttaaaccggg tgaatcagcg tttattgccg ccaacgaatc accggtgact  3180
```

Page 2

70094 Syngenta

```
gtcaaaggcc acggccgttt agcgcgtgtt tacaacaagc tgtaagagct tactgaaaaa   3240
attaacatct cttgctaagc tgggagctct agatccccga atttccccga tcgttcaaac   3300
atttggcaat aaagtttctt aagattgaat cctgttgccg gtcttgcgat gattatcata   3360
taatttctgt tgaattacgt taagcatgta ataattaaca tgtaatgcat gacgttattt   3420
atgagatggg ttttatgat tagagtcccg caattataca tttaatacgc gatagaaaac    3480
aaaatatagc gcgcaaacta ggataaatta tcgcgcgcgg tgtcatctat gttactagat   3540
cgggaattgg gtaccatgcc cgggcggcca gcatggccgt atccgcaatg tgttattaag   3600
ttgtctaagc gtcaatttgt ttacaccaca atatatcctg ccaccagcca gccaacagct   3660
ccccgaccgg cagctcggca caaaatcacc actcgataca ggcagcccat cagaattaat   3720
tctcatgttt gacagcttat catcgactgc acggtgcacc aatgcttctg gcgtcaggca   3780
gccatcggaa gctgtggtat ggctgtgcag gtcgtaaatc actgcataat tcgtgtcgct   3840
caaggcgcac tcccgttctg gataatgttt tttgcgccga catcataacg gttctggcaa   3900
atattctgaa atgagctgtt gacaattaat catccggctc gtataatgtg tggaattgtg   3960
agcggataac aatttcacac aggaaacaga ccatgaggga agcgttgatc gccgaagtat   4020
cgactcaact atcagaggta gttggcgtca tcgagcgcca tctcgaaccg acgttgctgg   4080
ccgtacattt gtacggctcc gcagtggatg gcggcctgaa gccacacagt gatattgatt   4140
tgctggttac ggtgaccgta aggcttgatg aaacaacgcg gcgagctttg atcaacgacc   4200
ttttggaaac ttcggcttcc cctggagaga gcgagattct ccgcgctgta gaagtcacca   4260
ttgttgtgca cgacgacatc attccgtggc gttatccagc taagcgcgaa ctgcaatttg   4320
gagaatggca gcgcaatgac attcttgcag gtatcttcga gccagccacg atcgacattg   4380
atctggctat cttgctgaca aaagcaagag aacatagcgt tgccttggta ggtccagcgg   4440
cggaggaact ctttgatccg gttcctgaac aggatctatt tgaggcgcta aatgaaacct   4500
taacgctatg gaactcgccg cccgactggg ctggcgatga gcgaaatgta gtgcttacgt   4560
tgtcccgcat ttggtacagc gcagtaaccg gcaaaatcgc gccgaaggat gtcgctgccg   4620
actgggcaat ggagcgcctg ccggcccagt atcagcccgt catacttgaa gctaggcagg   4680
cttatcttgg acaagaagat cgcttggcct cgcgcgcaga tcagttggaa gaatttgttc   4740
actacgtgaa aggcgagatc accaaagtag tcggcaaata aagctctagt ggatctccgt   4800
acccccgggg gatctggctc gcggcggacg cacgacgccg gggcgagacc ataggcgatc   4860
tcctaaatca atagtagctg taacctcgaa gcgtttcact tgtaacaacg attgagaatt   4920
tttgtcataa aattgaaata cttggttcgc atttttgtca tccgcggtca gccgcaattc   4980
tgacgaactg cccatttagc tggagatgat tgtacatcct tcacgtgaaa atttctcaag   5040
```

Page 3

70094 Syngenta

```
cgctgtgaac  aagggttcag  attttagatt  gaaaggtgag  ccgttgaaac  acgttcttct  5100
tgtcgatgac  gacgtcgcta  tgcggcatct  tattattgaa  taccttacga  tccacgcctt  5160
caaagtgacc  gcggtagccg  acagcaccca  gttcacaaga  gtactctctt  ccgcgacggt  5220
cgatgtcgtg  gttgttgatc  taaatttagg  tcgtgaagat  gggctcgaga  tcgttcgtaa  5280
tctggcggca  aagtctgata  ttccaatcat  aattatcagt  ggcgaccgcc  ttgaggagac  5340
ggataaagtt  gttgcactcg  agctaggagc  aagtgatttt  atcgctaagc  cgttcagtat  5400
cagagagttt  ctagcacgca  ttcgggttgc  cttgcgcgtg  cgccccaacg  ttgtccgctc  5460
caaagaccga  cggtcttttt  gttttactga  ctggacactt  aatctcaggc  aacgtcgctt  5520
gatgtccgaa  gctggcggtg  aggtgaaact  tacggcaggt  gagttcaatc  ttctcctcgc  5580
gtttttagag  aaaccccgcg  acgttctatc  gcgcgagcaa  cttctcattg  ccagtcgagt  5640
acgcgacgag  gaggtttatg  acaggagtat  agatgttctc  attttgaggc  tgcgccgcaa  5700
acttgaggca  gatccgtcaa  gccctcaact  gataaaaaca  gcaagaggtg  ccggttattt  5760
ctttgacgcg  gacgtgcagg  tttcgcacgg  ggggacgatg  gcagcctgag  ccaattccca  5820
gatccccgag  gaatcggcgt  gagcggtcgc  aaaccatccg  gcccggtaca  aatcggcgcg  5880
gcgctgggtg  atgacctggt  ggagaagttg  aaggccgcgc  aggccgccca  gcggcaacgc  5940
atcgaggcag  aagcacgccc  cggtgaatcg  tggcaagcgg  ccgctgatcg  aatccgcaaa  6000
gaatcccggc  aaccgccggc  agccggtgcg  ccgtcgatta  ggaagccgcc  caagggcgac  6060
gagcaaccag  atttttttcgt  tccgatgctc  tatgacgtgg  cacccgcga  tagtcgcagc  6120
atcatggacg  tggccgtttt  ccgtctgtcg  aagcgtgacc  gacgagctgg  cgaggtgatc  6180
cgctacgagc  ttccagacgg  gcacgtagag  gtttccgcag  ggccggccgg  catggccagt  6240
gtgtgggatt  acgacctggt  actgatggcg  gtttcccatc  taaccgaatc  catgaaccga  6300
taccgggaag  ggaagggaga  caagcccggc  cgcgtgttcc  gtccacacgt  tgcggacgta  6360
ctcaagttct  gccggcgagc  cgatggcgga  aagcagaaag  acgacctggt  agaaacctgc  6420
attcggttaa  acaccacgca  cgttgccatg  cagcgtacga  agaaggccaa  gaacggccgc  6480
ctggtgacgg  tatccgaggg  tgaagccttg  attagccgct  acaagatcgt  aaagagcgaa  6540
accgggcggc  cggagtacat  cgagatcgag  ctagctgatt  ggatgtaccg  cgagatcaca  6600
gaaggcaaga  acccggacgt  gctgacggtt  caccccgatt  acttttttgat  cgatcccggc  6660
atcggccgtt  ttctctaccg  cctggcacgc  cgcgccgcag  gcaaggcaga  agccagatgg  6720
ttgttcaaga  cgatctacga  acgcagtggc  agcgccggag  agttcaagaa  gttctgtttc  6780
accgtgcgca  agctgatcgg  gtcaaatgac  ctgccggagt  acgatttgaa  ggaggaggcg  6840
gggcaggctg  gcccgatcct  agtcatgcgc  taccgcaacc  tgatcgaggg  cgaagcatcc  6900
gccggttcct  aatgtacgga  gcagatgcta  gggcaaattg  ccctagcagg  ggaaaaaggt  6960
```
Page 4

70094 Syngenta

```
cgaaaaggtc tctttcctgt ggatagcacg tacattggga acccaaagcc gtacattggg  7020
aaccggaacc cgtacattgg gaacccaaag ccgtacattg ggaaccggtc acacatgtaa  7080
gtgactgata taaaagagaa aaaaggcgat ttttccgcct aaaactcttt aaaacttatt  7140
aaaactctta aaacccgcct ggcctgtgca taactgtctg gccagcgcac agccgaagag  7200
ctgcaaaaag cgcctaccct tcggtcgctg cgctccctac gccccgccgc ttcgcgtcgg  7260
cctatcgcgg ccgctggccg ctcaaaaatg gctggcctac ggccaggcaa tctaccaggg  7320
cgcggacaag ccgcgccgtc gccactcgac cgccggcgct gaggtctgcc tcgtgaagaa  7380
ggtgttgctg actcatacca ggcctgaatc gccccatcat ccagccagaa agtgagggag  7440
ccacggttga tgagagcttt gttgtaggtg gaccagttgg tgattttgaa cttttgcttt  7500
gccacggaac ggtctgcgtt gtcgggaaga tgcgtgatct gatccttcaa ctcagcaaaa  7560
gttcgattta ttcaacaaag ccgccgtccc gtcaagtcag cgtaatgctc tgccagtgtt  7620
acaaccaatt aaccaattct gattagaaaa actcatcgag catcaaatga aactgcaatt  7680
tattcatatc aggattatca ataccatatt tttgaaaaag ccgtttctgt aatgaaggag  7740
aaaactcacc gaggcagttc cataggatgg caagatcctg gtatcggtct gcgattccga  7800
ctcgtccaac atcaatacaa cctattaatt tcccctcgtc aaaaataagg ttatcaagtg  7860
agaaatcacc atgagtgacg actgaatccg gtgagaatgg caaaagctct gcattaatga  7920
atcggccaac gcgcggggag aggcggtttg cgtattgggc gctcttccgc ttcctcgctc  7980
actgactcgc tgcgctcggt cgttcggctg cggcgagcgg tatcagctca ctcaaaggcg  8040
gtaatacggt tatccacaga atcaggggat aacgcaggaa agaacatgtg agcaaaaggc  8100
cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc  8160
ccccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga  8220
ctataaagat accaggcgtt tccccctgga agctccctcg tgcgctctcc tgttccgacc  8280
ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcat  8340
agctcacgct gtaggtatct cagttcggtg taggtcgttc gctccaagct gggctgtgtg  8400
cacgaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc  8460
aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga  8520
gcgaggtatg taggcggtgc tacagagttc ttgaagtggt ggcctaacta cggctacact  8580
agaagaacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt  8640
ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtggtttttt gtttgcaag   8700
cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg  8760
tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag attatcaaaa  8820
```

Page 5

70094 Syngenta

```
aggatcttca cctagatcct tttgatccgg aattaattcc tgtggttggc atgcacatac   8880
aaatggacga acggataaac cttttcacgc ccttttaaat atccgattat tctaataaac   8940
gctcttttct cttaggttta cccgccaata tatcctgtca aacactgata gtttaaactg   9000
aaggcgggaa acgacaatct gatcatgagc ggagaattaa gggagtcacg ttatgacccc   9060
cgccgatgac gcgggacaag ccgttttacg tttggaactg acagaaccgc aacgctgcag   9120
gaattggccg cagcggccat ttaaatcaat tgggcgcgta cgtagcacta gtgcgcgatc   9180
gcttaattaa gcggcgcgcc taaagcttct ggcagacaaa gtggcagaca tactgtccca   9240
caaatgaaga tggaatctgt aaaagaaac gcgtgaaata atgcgtctga caaaggttag   9300
gtcggctgcc tttaatcaat accaaagtgg tccctaccac gatggaaaaa ctgtgcagtc   9360
ggtttggctt tttctgacga acaaataaga ttcgtggccg acaggtgggg gtccaccatg   9420
tgaaggcatc ttcagactcc aataatggag caatgacgta agggcttacg aaataagtaa   9480
gggtagtttg ggaaatgtcc actcacccgt cagtctataa atacttagcc cctccctcat   9540
tgttaaggga gcaag                                                     9555
```

```
<210>  2
<211>  9546
<212>  DNA
<213>  Artificial

<220>
<223>  pNOV2147

<400>  2
ggatccccga tcatgcaaaa actcattaac tcagtgcaaa actatgcctg gggcagcaaa    60
acggcgttga ctgaacttta tggtatggaa aatccgtcca gccagccgat ggccgagctg   120
tggatgggcg cacatccgaa aagcagttca cgagtgcaga atgccgccgg agatatcgtt   180
tcactgcgtg atgtgattga gagtgataaa tcgactctgc tcggagaggc cgttgccaaa   240
cgctttggcg aactgccttt cctgttcaaa gtattatgcg cagcacagcc actctccatt   300
caggttcatc caaacaaaca caattctgaa atcggttttg ccaaagaaaa tgccgcaggt   360
atcccgatgg atgccgccga gcgtaactat aaagatccta accacaagcc ggagctggtt   420
tttgcgctga cgcctttcct tgcgatgaac gcgtttcgtg aattttccga gattgtctcc   480
ctactccagc cggtcgcagg tgcacatccg gcgattgctc actttttaca acagcctgat   540
gccgaacgtt taagcgaact gttcgccagc ctgttgaata tgcagggtga agaaaaatcc   600
cgcgcgctgg cgattttaaa atcggccctc gatagccagc agggtgaacc gtggcaaacg   660
attcgtttaa tttctgaatt ttacccggaa gacagcggtc tgttctcccc gctattgctg   720
aatgtggtga aattgaaccc tggcgaagcg atgttcctgt tcgctgaaac accgcacgct   780
tacctgcaag gcgtggcgct ggaagtgatg gcaaactccg ataacgtgct gcgtgcgggt   840
```

70094 Syngenta

```
ctgacgccta aatacattga tattccggaa ctggttgcca atgtgaaatt cgaagccaaa    900
ccggctaacc agttgttgac ccagccggtg aaacaaggtg cagaactgga cttcccgatt    960
ccagtggatg attttgcctt ctcgctgcat gaccttagtg ataaagaaac caccattagc   1020
cagcagagtg ccgccatttt gttctgcgtc gaaggcgatg caacgttgtg gaaaggttct   1080
cagcagttac agcttaaacc gggtgaatca gcgtttattg ccgccaacga atcaccggtg   1140
actgtcaaag gccacggccg tttagcgcgt gtttacaaca agctgtaaga gcttactgaa   1200
aaaattaaca tctcttgcta agctgggagc tctagatccc gaatttccc cgatcgttca    1260
aacatttggc aataaagttt cttaagattg aatcctgttg ccggtcttgc gatgattatc   1320
atataatttc tgttgaatta cgttaagcat gtaataatta acatgtaatg catgacgtta   1380
tttatgagat gggtttttat gattagagtc ccgcaattat acatttaata cgcgatagaa   1440
aacaaaatat agcgcgcaaa ctaggataaa ttatcgcgcg cggtgtcatc tatgttacta   1500
gatcgggaat tgggtaccat gcccgggcgg ccagcatggc cgtatccgca atgtgttatt   1560
aagttgtcta agcgtcaatt tgtttacacc acaatatatc ctgccaccag ccagccaaca   1620
gctccccgac cggcagctcg gcacaaaatc accactcgat acaggcagcc catcagaatt   1680
aattctcatg tttgacagct tatcatcgac tgcacggtgc accaatgctt ctggcgtcag   1740
gcagccatcg gaagctgtgg tatggctgtg caggtcgtaa atcactgcat aattcgtgtc   1800
gctcaaggcg cactcccgtt ctggataatg ttttttgcgc cgacatcata acggttctgg   1860
caaatattct gaaatgagct gttgacaatt aatcatccgg ctcgtataat gtgtggaatt   1920
gtgagcggat aacaatttca cacaggaaac agaccatgag ggaagcgttg atcgccgaag   1980
tatcgactca actatcagag gtagttggcg tcatcgagcg ccatctcgaa ccgacgttgc   2040
tggccgtaca tttgtacggc tccgcagtgg atggcggcct gaagccacac agtgatattg   2100
atttgctggt tacggtgacc gtaaggcttg atgaaacaac gcggcgagct ttgatcaacg   2160
accttttgga aacttcggct tcccctggag agagcgagat tctccgcgct gtagaagtca   2220
ccattgttgt gcacgacgac atcattccgt ggcgttatcc agctaagcgc gaactgcaat   2280
ttggagaatg gcagcgcaat gacattcttg caggtatctt cgagccagcc acgatcgaca   2340
ttgatctggc tatcttgctg acaaaagcaa gagaacatag cgttgccttg gtaggtccag   2400
cggcggagga actctttgat ccggttcctg aacaggatct atttgaggcg ctaaatgaaa   2460
ccttaacgct atggaactcg ccgcccgact gggctggcga tgagcgaaat gtagtgctta   2520
cgttgtcccg catttggtac agcgcagtaa ccggcaaaat cgcgccgaag gatgtcgctg   2580
ccgactgggc aatggagcgc ctgccggccc agtatcagcc cgtcatactt gaagctaggc   2640
aggcttatct tggacaagaa gatcgcttgg cctcgcgcgc agatcagttg gaagaatttg   2700
```

Page 7

70094 Syngenta

```
ttcactacgt gaaaggcgag atcaccaaag tagtcggcaa ataaagctct agtggatctc    2760
cgtacccccg ggggatctgg ctcgcggcgg acgcacgacg ccggggcgag accataggcg    2820
atctcctaaa tcaatagtag ctgtaacctc gaagcgtttc acttgtaaca acgattgaga    2880
atttttgtca taaaattgaa atacttggtt cgcatttttg tcatccgcgg tcagccgcaa    2940
ttctgacgaa ctgcccattt agctggagat gattgtacat ccttcacgtg aaaatttctc    3000
aagcgctgtg aacaagggtt cagattttag attgaaaggt gagccgttga aacacgttct    3060
tcttgtcgat gacgacgtcg ctatgcggca tcttattatt gaatacctta cgatccacgc    3120
cttcaaagtg accgcggtag ccgacagcac ccagttcaca agagtactct cttccgcgac    3180
ggtcgatgtc gtggttgttg atctaaattt aggtcgtgaa gatgggctcg agatcgttcg    3240
taatctggcg gcaaagtctg atattccaat cataattatc agtggcgacc gccttgagga    3300
gacggataaa gttgttgcac tcgagctagg agcaagtgat tttatcgcta agccgttcag    3360
tatcagagag tttctagcac gcattcgggt tgccttgcgc gtgcgcccca cgttgtccg     3420
ctccaaagac cgacggtctt tttgttttac tgactggaca cttaatctca ggcaacgtcg    3480
cttgatgtcc gaagctggcg gtgaggtgaa acttacggca ggtgagttca atcttctcct    3540
cgcgtttttta gagaaacccc gcgacgttct atcgcgcgag caacttctca ttgccagtcg    3600
agtacgcgac gaggaggttt atgacaggag tatagatgtt ctcattttga ggctgcgccg    3660
caaacttgag gcagatccgt caagccctca actgataaaa acagcaagag gtgccggtta    3720
tttctttgac gcggacgtgc aggtttcgca cggggggacg atggcagcct gagccaattc    3780
ccagatcccc gaggaatcgg cgtgagcggt cgcaaaccat ccggcccggt acaaatcggc    3840
gcggcgctgg gtgatgacct ggtggagaag ttgaaggccg cgcaggccgc ccagcggcaa    3900
cgcatcgagg cagaagcacg ccccggtgaa tcgtggcaag cggccgctga tcgaatccgc    3960
aaagaatccc ggcaaccgcc ggcagccggt gcgccgtcga ttaggaagcc gcccaagggc    4020
gacgagcaac cagattttttt cgttccgatg ctctatgacg tgggcacccg cgatagtcgc    4080
agcatcatgg acgtggccgt tttccgtctg tcgaagcgtg accgacgagc tggcgaggtg    4140
atccgctacg agcttccaga cgggcacgta gaggtttccg cagggccggc cggcatggcc    4200
agtgtgtggg attacgacct ggtactgatg gcggtttccc atctaaccga atccatgaac    4260
cgataccggg aagggaaggg agacaagccc ggccgcgtgt tccgtccaca cgttgcggac    4320
gtactcaagt tctgccggcg agccgatggc ggaaagcaga aagacgacct ggtagaaacc    4380
tgcattcggt taaacaccac gcacgttgcc atgcagcgta cgaagaaggc caagaacggc    4440
cgcctggtga cggtatccga gggtgaagcc ttgattagcc gctacaagat cgtaaagagc    4500
gaaaccgggc ggccggagta catcgagatc gagctagctg attggatgta ccgcgagatc    4560
acagaaggca agaacccgga cgtgctgacg gttcacccg attactttt gatcgatccc      4620
```

Page 8

70094 Syngenta

```
ggcatcggcc gttttctcta ccgcctggca cgccgcgccg caggcaaggc agaagccaga    4680
tggttgttca agacgatcta cgaacgcagt ggcagcgccg gagagttcaa gaagttctgt    4740
ttcaccgtgc gcaagctgat cgggtcaaat gacctgccgg agtacgattt gaaggaggag    4800
gcggggcagg ctggcccgat cctagtcatg cgctaccgca acctgatcga gggcgaagca    4860
tccgccggtt cctaatgtac ggagcagatg ctagggcaaa ttgccctagc aggggaaaaa    4920
ggtcgaaaag gtctctttcc tgtggatagc acgtacattg gaacccaaa gccgtacatt      4980
gggaaccgga acccgtacat tgggaaccca aagccgtaca ttgggaaccg gtcacacatg    5040
taagtgactg atataaaaga gaaaaaaggc gattttttccg cctaaaactc tttaaaactt    5100
attaaaactc ttaaaacccg cctggcctgt gcataactgt ctggccagcg cacagccgaa    5160
gagctgcaaa aagcgcctac ccttcggtcg ctgcgctccc tacgccccgc cgcttcgcgt    5220
cggcctatcg cggccgctgg ccgctcaaaa atggctggcc tacggccagg caatctacca    5280
gggcgcggac aagccgcgcc gtcgccactc gaccgccggc gctgaggtct gcctcgtgaa    5340
gaaggtgttg ctgactcata ccaggcctga atcgccccat catccagcca gaaagtgagg    5400
gagccacggt tgatgagagc tttgttgtag gtggaccagt tggtgatttt gaacttttgc    5460
tttgccacgg aacggtctgc gttgtcggga agatgcgtga tctgatcctt caactcagca    5520
aaagttcgat ttattcaaca aagccgccgt cccgtcaagt cagcgtaatg ctctgccagt    5580
gttacaacca attaaccaat tctgattaga aaaactcatc gagcatcaaa tgaaactgca    5640
atttattcat atcaggatta tcaataccat attttttgaaa aagccgtttc tgtaatgaag    5700
gagaaaactc accgaggcag ttccatagga tggcaagatc ctggtatcgg tctgcgattc    5760
cgactcgtcc aacatcaata caacctatta atttcccctc gtcaaaaata aggttatcaa    5820
gtgagaaatc accatgagtg acgactgaat ccggtgagaa tggcaaaagc tctgcattaa    5880
tgaatcggcc aacgcgcggg gagaggcggt ttgcgtattg ggcgctcttc cgcttcctcg    5940
ctcactgact cgctgcgctc ggtcgttcgg ctgcggcgag cggtatcagc tcactcaaag    6000
gcggtaatac ggttatccac agaatcaggg gataacgcag gaaagaacat gtgagcaaaa    6060
ggccagcaaa aggccaggaa ccgtaaaaag gccgcgttgc tggcgttttt ccataggctc    6120
cgcccccctg acgagcatca caaaaatcga cgctcaagtc agaggtggcg aaacccgaca    6180
ggactataaa gataccaggc gtttccccct ggaagctccc tcgtgcgctc tcctgttccg    6240
accctgccgc ttaccggata cctgtccgcc tttctccctt cgggaagcgt ggcgctttct    6300
catagctcac gctgtaggta tctcagttcg gtgtaggtcg ttcgctccaa gctgggctgt    6360
gtgcacgaac cccccgttca gcccgaccgc tgcgccttat ccggtaacta tcgtcttgag    6420
tccaacccgg taagacacga cttatcgcca ctggcagcag ccactggtaa caggattagc    6480
```

Page 9

70094 Syngenta

```
agagcgaggt atgtaggcgg tgctacagag ttcttgaagt ggtggcctaa ctacggctac    6540
actagaagaa cagtatttgg tatctgcgct ctgctgaagc cagttacctt cggaaaaaga    6600
gttggtagct cttgatccgg caaacaaacc accgctggta gcggtggttt ttttgtttgc    6660
aagcagcaga ttacgcgcag aaaaaaagga tctcaagaag atcctttgat cttttctacg    6720
gggtctgacg ctcagtggaa cgaaaactca cgttaaggga ttttggtcat gagattatca    6780
aaaaggatct tcacctagat ccttttgatc cggaattaat tcctgtggtt ggcatgcaca    6840
tacaaatgga cgaacggata aaccttttca cgccctttta aatatccgat tattctaata    6900
aacgctcttt tctcttaggt ttacccgcca atatatcctg tcaaacactg atagtttaaa    6960
ctgaaggcgg gaaacgacaa tctgatcatg agcggagaat aagggagtc acgttatgac    7020
ccccgccgat gacgcgggac aagccgtttt acgtttggaa ctgacagaac cgcaacgctg    7080
caggaattgg ccgcagcggc catttaaatc aattgggcgc gtacgtagca ctagtgcgcg    7140
atcgcttaat taagcggcgc gcctaaagct tctggcagac aaagtggcag acatactgtc    7200
ccacaaatga agatggaatc tgtaaaagaa aacgcgtgaa ataatgcgtc tgacaaaggt    7260
taggtcggct gcctttaatc aataccaaag tggtccctac cacgatggaa aaactgtgca .  7320
gtcggtttgg ctttttctga cgaacaaata agattcgtgg ccgacaggtg ggggtccacc    7380
atgtgaaggc atcttcagac tccaataatg gagcaatgac gtaagggctt acgaaataag    7440
taagggtagt ttgggaaatg tccactcacc cgtcagtcta taaatactta gcccctccct    7500
cattgttaag ggagcaagga tccaccggtc gccaccatgg ccctgtccaa caagttcatc    7560
ggcgacgaca tgaagatgac ctaccacatg gacggctgcg tgaacggcca ctacttcacc    7620
gtgaagggcg agggcagcgg caagccctac gagggcaccc agacctccac cttcaaggtg    7680
accatggcca acggcggccc cctggccttc tccttcgaca tcctgtccac cgtgttcatg    7740
tacggcaacc gctgcttcac cgcctacccc accagcatgc ccgactactt caagcaggcc    7800
ttccccgacg gcatgtccta cgagagaacc ttcacctacg aggacggcgg cgtggccacc    7860
gccagctggg agatcagcct gaagggcaac tgcttcgagc acaagtccac cttccacggc    7920
gtgaacttcc ccgccgacgg ccccgtgatg gccaagaaga ccaccggctg ggacccctcc    7980
ttcgagaaga tgaccgtgtg cgacggcatc ttgaagggcg acgtgaccgc cttcctgatg    8040
ctgcagggcg gcggcaacta cagatgccag ttccacacct cctacaagac caagaagccc    8100
gtgaccatgc cccccaacca cgtggtggag caccgcatcg ccagaaccga cctggacaag    8160
ggcggcaaca gcgtgcagct gaccgagcac gccgtggccc acatcacctc cgtggtgccc    8220
ttctgagagc tctagatccc cgaatttccc cgatcgttca aacatttggc aataaagttt    8280
cttaagattg aatcctgttg ccggtcttgc gatgattatc atataatttc tgttgaatta    8340
cgttaagcat gtaataatta acatgtaatg catgacgtta tttatgagat gggtttttat    8400
```
Page 10

70094 Syngenta

```
gattagagtc ccgcaattat acatttaata cgcgatagaa aacaaaatat agcgcgcaaa   8460
ctaggataaa ttatcgcgcg cggtgtcatc tatgttacta gatcgggaat tgggtaccga   8520
attcactggc cgtcgtttta caacgtcgtg actgggaaaa ccctggcgtt acccaactta   8580
atcgccttgc agcacatccc cctttcgcca gctggcgtaa tagcgaagag gcccgcaccg   8640
atcgcccttc ccaacagttg cgcagcctga atggcgaatg gcgcctgatg cggtattttc   8700
tccttacgca tctgtgcggt atttcacacc gcatatggtg cactctcagt acaatctgct   8760
ctgatccgc  atagttaagc cagccccgac acccgccaac acccgctgac gcgccctgac   8820
gggcttgtct gctcccggca tccgcttaca gacaagctgt gaccgtctcc gggagctgca   8880
tgtgtcagag gttttcaccg tcatcaccga aacgcgcgag acgaaagggc ctcgtgatac   8940
gcctattttt ataggttaat gtcatgataa taatggtttc ttagacgtca ggtggcactt   9000
ttcggggaaa tgtgcgcgga accctatt gtttattttt ctaaatacat tcaaatatgt   9060
atccgctcat gagacaataa ccctgataaa tgcttcaatg gcgcgccggt accagcttgc   9120
atgcctgcag gtcgactcta gaggatcctg gcagacaaag tggcagacat actgtcccac   9180
aaatgaagat ggaatctgta aaagaaaacg cgtgaaataa tgcgtctgac aaaggttagg   9240
tcggctgcct ttaatcaata ccaaagtggt ccctaccacg atggaaaaac tgtgcagtcg   9300
gtttggcttt ttctgacgaa caaataagat tcgtggccga caggtggggg tccaccatgt   9360
gaaggcatct tcagactcca ataatggagc aatgacgtaa gggcttacga ataagtaag    9420
ggtagtttgg gaaatgtcca ctcacccgtc agtctataaa tacttagccc ctccctcatt   9480
gttaagggag caaaatctca gagagatagt cctagagaga gaaagagagc aagtagccta   9540
gaagta                                                               9546
```

<210> 3
<211> 10604
<212> DNA
<213> Artificial

<220>
<223> pBSC11234

<400> 3
```
cgcgcctaaa gcttgcatgc ctgcaggtcg actctagagg atcctggcag acaaagtggc    60
agacatactg tcccacaaat gaagatggaa tctgtaaaag aaaacgcgtg aaataatgcg   120
tctgacaaag gttaggtcgg ctgcctttaa tcaataccaa agtggtccct accacgatgg   180
aaaaactgtg cagtcggttt ggctttttct gacgaacaaa taagattcgt ggccgacagg   240
tggggtcca  ccatgtgaag gcatcttcag actccaataa tggagcaatg acgtaagggc   300
ttacgaaata agtaagggta gtttgggaaa tgtccactca cccgtcagtc tataaatact   360
```

Page 11

70094 Syngenta

```
tagcccctcc ctcattgtta agggagcaaa atctcagaga gatagtccta gagagagaaa   420
gagagcaagt agcctagaag taggatcccc gatcatgcaa aaactcatta actcagtgca   480
aaactatgcc tggggcagca aaacggcgtt gactgaactt tatggtatgg aaaatccgtc   540
cagccagccg atggccgagc tgtggatggg cgcacatccg aaaagcagtt cacgagtgca   600
gaatgccgcc ggagatatcg tttcactgcg tgatgtgatt gagagtgata aatcgactct   660
gctcggagag gccgttgcca aacgctttgg cgaactgcct ttcctgttca aagtattatg   720
cgcagcacag ccactctcca ttcaggttca tccaaacaaa cacaattctg aaatcggttt   780
tgccaaagaa aatgccgcag gtatcccgat ggatgccgcc gagcgtaact ataaagatcc   840
taaccacaag ccggagctgg tttttgcgct gacgcctttc cttgcgatga acgcgtttcg   900
tgaattttcc gagattgtct ccctactcca gccggtcgca ggtgcacatc cggcgattgc   960
tcacttttta caacagcctg atgccgaacg tttaagcgaa ctgttcgcca gcctgttgaa  1020
tatgcagggt gaagaaaaat cccgcgcgct ggcgatttta aaatcggccc tcgatagcca  1080
gcagggtgaa ccgtggcaaa cgattcgttt aatttctgaa ttttacccgg aagacagcgg  1140
tctgttctcc ccgctattgc tgaatgtggt gaaattgaac cctggcgaag cgatgttcct  1200
gttcgctgaa acaccgcacg cttacctgca aggcgtggcg ctggaagtga tggcaaactc  1260
cgataacgtg ctgcgtgcgg gtctgacgcc taaatacatt gatattccgg aactggttgc  1320
caatgtgaaa ttcgaagcca aaccggctaa ccagttgttg acccagccgg tgaaacaagg  1380
tgcagaactg gacttcccga ttccagtgga tgattttgcc ttctcgctgc atgaccttag  1440
tgataaagaa accaccatta gccagcagag tgccgccatt ttgttctgcg tcgaaggcga  1500
tgcaacgttg tggaaaggtt ctcagcagtt acagcttaaa ccgggtgaat cagcgtttat  1560
tgccgccaac gaatcaccgg tgactgtcaa aggccacggc cgtttagcgc gtgtttacaa  1620
caagctgtaa gagcttactg aaaaaattaa catctcttgc taagctggga gctctagatc  1680
cccgaatttc cccgatcgtt caaacatttg gcaataaagt ttcttaagat tgaatcctgt  1740
tgccggtctt gcgatgatta tcatataatt tctgttgaat tacgttaagc atgtaataat  1800
taacatgtaa tgcatgacgt tatttatgag atgggttttt atgattagag tcccgcaatt  1860
atacatttaa tacgcgatag aaaacaaaat atagcgcgca aactaggata aattatcgcg  1920
cgcggtgtca tctatgttac tagatcggga attgggtacc atgcccgggc ggccagcatg  1980
gccgtatccg caatgtgtta ttaagttgtc taagcgtcaa tttgtttaca ccacaatata  2040
tcctgccacc agccagccaa cagctccccg accggcagct cggcacaaaa tcaccactcg  2100
atacaggcag cccatcagaa ttaattctca tgtttgacag cttatcatcg actgcacggt  2160
gcaccaatgc ttctggcgtc aggcagccat cggaagctgt ggtatggctg tgcaggtcgt  2220
aaatcactgc ataattcgtg tcgctcaagg cgcactcccg ttctggataa tgttttttgc  2280
```
Page 12

70094 Syngenta

```
gccgacatca taacggttct ggcaaatatt ctgaaatgag ctgttgacaa ttaatcatcc   2340
ggctcgtata atgtgtggaa ttgtgagcgg ataacaattt cacacaggaa acagaccatg   2400
agggaagcgt tgatcgccga agtatcgact caactatcag aggtagttgg cgtcatcgag   2460
cgccatctcg aaccgacgtt gctggccgta catttgtacg gctccgcagt ggatggcggc   2520
ctgaagccac acagtgatat tgatttgctg gttacggtga ccgtaaggct tgatgaaaca   2580
acgcggcgag ctttgatcaa cgaccttttg gaaacttcgg cttcccctgg agagagcgag   2640
attctccgcg ctgtagaagt caccattgtt gtgcacgacg acatcattcc gtggcgttat   2700
ccagctaagc gcgaactgca atttggagaa tggcagcgca atgacattct tgcaggtatc   2760
ttcgagccag ccacgatcga cattgatctg gctatcttgc tgacaaaagc aagagaacat   2820
agcgttgcct tggtaggtcc agcggcggag gaactctttg atccggttcc tgaacaggat   2880
ctatttgagg cgctaaatga aaccttaacg ctatggaact cgccgcccga ctgggctggc   2940
gatgagcgaa atgtagtgct tacgttgtcc cgcatttggt acagcgcagt aaccggcaaa   3000
atcgcgccga aggatgtcgc tgccgactgg gcaatggagc gcctgccggc ccagtatcag   3060
cccgtcatac ttgaagctag gcaggcttat cttggacaag aagatcgctt ggcctcgcgc   3120
gcagatcagt tggaagaatt tgttcactac gtgaaaggcg agatcaccaa agtagtcggc   3180
aaataaagct ctagtggatc tccgtacccc cgggggatct ggctcgcggc ggacgcacga   3240
cgccggggcg agaccatagg cgatctccta aatcaatagt agctgtaacc tcgaagcgtt   3300
tcacttgtaa caacgattga gaatttttgt cataaaattg aaatacttgg ttcgcatttt   3360
tgtcatccgc ggtcagccgc aattctgacg aactgcccat ttagctggag atgattgtac   3420
atccttcacg tgaaaatttc tcaagcgctg tgaacaaggg ttcagatttt agattgaaag   3480
gtgagccgtt gaaacacgtt cttcttgtcg atgacgacgt cgctatgcgg catcttatta   3540
ttgaatacct tacgatccac gccttcaaag tgaccgcggt agccgacagc acccagttca   3600
caagagtact ctcttccgcg acggtcgatg tcgtggttgt tgatctaaat ttaggtcgtg   3660
aagatgggct cgagatcgtt cgtaatctgg cggcaaagtc tgatattcca atcataatta   3720
tcagtggcga ccgccttgag gagacggata aagttgttgc actcgagcta ggagcaagtg   3780
attttatcgc taagccgttc agtatcagag agtttctagc acgcattcgg gttgccttgc   3840
gcgtgcgccc caacgttgtc cgctccaaag accgacggtc tttttgtttt actgactgga   3900
cacttaatct caggcaacgt cgcttgatgt ccgaagctgg cggtgaggtg aaacttacgg   3960
caggtgagtt caatcttctc ctcgcgtttt tagagaaacc ccgcgacgtt ctatcgcgcg   4020
agcaacttct cattgccagt cgagtacgcg acgaggaggt ttatgacagg agtatagatg   4080
ttctcatttt gaggctgcgc cgcaaacttg aggcagatcc gtcaagccct caactgataa   4140
```

Page 13

70094 Syngenta

```
aaacagcaag  aggtgccggt  tatttctttg  acgcggacgt  gcaggtttcg  cacgggggga  4200
cgatggcagc  ctgagccaat  tcccagatcc  ccgaggaatc  ggcgtgagcg  gtcgcaaacc  4260
atccggcccg  gtacaaatcg  gcgcggcgct  gggtgatgac  ctggtggaga  agttgaaggc  4320
cgcgcaggcc  gcccagcggc  aacgcatcga  ggcagaagca  cgccccggtg  aatcgtggca  4380
agcggccgct  gatcgaatcc  gcaaagaatc  ccggcaaccg  ccggcagccg  gtgcgccgtc  4440
gattaggaag  ccgcccaagg  gcgacgagca  accagatttt  ttcgttccga  tgctctatga  4500
cgtgggcacc  cgcgatagtc  gcagcatcat  ggacgtggcc  gttttccgtc  tgtcgaagcg  4560
tgaccgacga  gctggcgagg  tgatccgcta  cgagcttcca  gacgggcacg  tagaggtttc  4620
cgcagggccg  gccggcatgg  ccagtgtgtg  ggattacgac  ctggtactga  tggcggtttc  4680
ccatctaacc  gaatccatga  accgataccg  ggaagggaag  ggagacaagc  ccggccgcgt  4740
gttccgtcca  cacgttgcgg  acgtactcaa  gttctgccgg  cgagccgatg  gcggaaagca  4800
gaaagacgac  ctggtagaaa  cctgcattcg  gttaaacacc  acgcacgttg  ccatgcagcg  4860
tacgaagaag  gccaagaacg  gccgcctggt  gacggtatcc  gagggtgaag  ccttgattag  4920
ccgctacaag  atcgtaaaga  gcgaaaccgg  gcggccggag  tacatcgaga  tcgagctagc  4980
tgattggatg  taccgcgaga  tcacagaagg  caagaacccg  gacgtgctga  cggttcaccc  5040
cgattacttt  ttgatcgatc  ccggcatcgg  ccgttttctc  taccgcctgg  cacgccgcgc  5100
cgcaggcaag  gcagaagcca  gatggttgtt  caagacgatc  tacgaacgca  gtggcagcgc  5160
cggagagttc  aagaagttct  gtttcaccgt  gcgcaagctg  atcgggtcaa  atgacctgcc  5220
ggagtacgat  ttgaaggagg  aggcggggca  ggctggcccg  atcctagtca  tgcgctaccg  5280
caacctgatc  gagggcgaag  catccgccgg  ttcctaatgt  acggagcaga  tgctagggca  5340
aattgcccta  gcaggggaaa  aaggtcgaaa  aggtctcttt  cctgtggata  gcacgtacat  5400
tgggaacccca  aagccgtaca  ttgggaaccg  gaacccgtac  attgggaacc  caaagccgta  5460
cattgggaac  cggtcacaca  tgtaagtgac  tgatataaaa  gagaaaaaag  gcgatttttc  5520
cgcctaaaac  tctttaaaac  ttattaaaac  tcttaaaacc  cgcctggcct  gtgcataact  5580
gtctggccag  cgcacagccg  aagagctgca  aaaagcgcct  acccttcggt  cgctgcgctc  5640
cctacgcccc  gccgcttcgc  gtcggcctat  cgcggccgct  ggccgctcaa  aaatggctgg  5700
cctacggcca  ggcaatctac  cagggcgcgg  acaagccgcg  ccgtcgccac  tcgaccgccg  5760
gcgctgaggt  ctgcctcgtg  aagaaggtgt  tgctgactca  taccaggcct  gaatcgcccc  5820
atcatccagc  cagaaagtga  gggagccacg  gttgatgaga  gctttgttgt  aggtggacca  5880
gttggtgatt  ttgacttttt  gctttgccac  ggaacggtct  gcgttgtcgg  gaagatgcgt  5940
gatctgatcc  ttcaactcag  caaaagttcg  atttattcaa  caaagccgcc  gtcccgtcaa  6000
gtcagcgtaa  tgctctgcca  gtgttacaac  caattaacca  attctgatta  gaaaaactca  6060
```

Page 14

70094 Syngenta

```
tcgagcatca aatgaaactg caatttattc atatcaggat tatcaatacc atatttttga   6120
aaaagccgtt tctgtaatga aggagaaaac tcaccgaggc agttccatag gatggcaaga   6180
tcctggtatc ggtctgcgat tccgactcgt ccaacatcaa tacaacctat taatttcccc   6240
tcgtcaaaaa taaggttatc aagtgagaaa tcaccatgag tgacgactga atccggtgag   6300
aatggcaaaa gctctgcatt aatgaatcgg ccaacgcgcg gggagaggcg gtttgcgtat   6360
tgggcgctct tccgcttcct cgctcactga ctcgctgcgc tcggtcgttc ggctgcggcg   6420
agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag gggataacgc   6480
aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggccgcgtt   6540
gctggcgttt ttccataggc tccgcccccc tgacgagcat cacaaaaatc gacgctcaag   6600
tcagaggtgg cgaaacccga caggactata aagataccag gcgtttcccc ctggaagctc   6660
cctcgtgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cctttctccc   6720
ttcgggaagc gtggcgcttt ctcatagctc acgctgtagg tatctcagtt cggtgtaggt   6780
cgttcgctcc aagctgggct gtgtgcacga accccccgtt cagcccgacc gctgcgcctt   6840
atccggtaac tatcgtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc   6900
agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa   6960
gtggtggcct aactacggct acactagaag aacagtattt ggtatctgcg ctctgctgaa   7020
gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaacaaa ccaccgctgg   7080
tagcggtggt ttttttgttt gcaagcagca gattacgcgc agaaaaaaag gatctcaaga   7140
agatcctttg atcttttcta cggggtctga cgctcagtgg aacgaaaact cacgttaagg   7200
gattttggtc atgagattat caaaaaggat cttcacctag atccttttga tccggaatta   7260
attcctgtgg ttggcatgca catacaaatg gacgaacgga taaacctttt cacgcccttt   7320
taaatatccg attattctaa taaacgctct tttctcttag gtttacccgc caatatatcc   7380
tgtcaaacac tgatagttta aactgaaggc gggaaacgac aatctgatca tgagcggaga   7440
attaagggag tcacgttatg acccccgccg atgacgcggg acaagccgtt ttacgtttgg   7500
aactgacaga accgcaacgc tgcaggaatt ggccgcagcg gccatttaaa tcaattgggc   7560
gcgtacgtag cactagtgcg cgatcgctta attaagcggc gcgcctgcag gcggccgcac   7620
aattattata tcaaaatggc aaaaacattt aatacgtatt atttaagaaa aaaatatgta   7680
ataatatatt tatattttaa tatctattct tatgtatttt ttaaaaatct attatatatt   7740
gatcaactaa aatattttta tatctacact tattttgcat ttttatcaat tttcttgcgt   7800
tttttggcat atttaataat gactattctt taataatcga tcattattct tacatggtac   7860
atattgttgg aaccatatga agtgtccatt gcatttgact atgtggatag tgttttgatc   7920
```

Page 15

```
caggcctcca tttgccgctt attaattaat ttggtaacag tccgtactaa tcagttactt   7980
atccttcctc catcataatt aatcttggta gtctcgaatg ccacaacact gactagtctc   8040
ttggatcata agaaaaagcc aaggaacaaa agaagacaaa acacaatggg agtatccttt   8100
gcatagcaat gtctaagttc ataaaattca aacaaaaacg caatcacaca cagtggacat   8160
cacttatcca ctagctgatc aggatcgccg cgtcaagaaa aaaaaactgg accccaaaag   8220
ccatgcacaa caacacgtac tcacaaaggt gtcaatcgag cagcccaaaa cattcaccaa   8280
ctcaacccat catgagccca cacatttgtt gtttctaacc caacctcaaa ctcgtattct   8340
cttccgccac ctcatttttg tttatttcaa cacccgtcaa actgcatgcc accccgtggc   8400
caaatgtcca tgcatgttaa caagacctat gactataaat atctgcaatc tcggcccagg   8460
ttttcatcat caagaaccag ttcaatatcc tagtacaccg tattaaagaa tttaagatat   8520
actccaccgg atccaccatg gccaagctag ttttttccct ttgttttctg cttttcagtg   8580
gctgctgctt cgctgagatt ttcggcaaga ccttccgcga gggccgcttc gtgctcaagg   8640
agaagaactt caccgtggag ttcgccgtgg agaagatcca cctcggctgg aagatatcgg   8700
gccgcgtgaa gggctcgccg ggccgcctcg aggtgctccg caccaaggcc cggagaagg    8760
tgctcgtgaa caactggcag tcctggggcc cgtgccgcgt ggtggacgcc ttctccttca   8820
agccgccgga gatcgacccg aactggcgct acaccgcatc cgtggtgccg gacgtgctcg   8880
agcgcaacct gcagtccgac tacttcgtgg ccgaggaggg caaggtgtac ggcttcctct   8940
cctccaagat cgcccacccg ttcttcgcgg tggaggacgg cgagctggtg gcctacctcg   9000
agtacttcga cgtggagttc gacgacttcg tgccgctgga ccgctcgtg gtgctcgagg    9060
acccgaacac cccgctcctc ctcgagaagt acgccgagct ggtgggcatg gagaacaacg   9120
cccgggtgcc gaagcacacg ccgaccggct ggtgctcctg gtatcactac ttcctcgacc   9180
tcacctggga ggagaccctc aagaacctca agctcgccaa gaacttcccg ttcgaggtgt   9240
tccagatcga cgacgcctac gagaaggaca tcggcgactg gctcgtgacc cgcggcgact   9300
tcccgtccgt ggaggagatg gccaaggtga tcgccgagaa cggcttcatc cccggcatct   9360
ggaccgcccc gttctccgtg tccgagacta gtgacgtgtt caacgagcac ccggactggg   9420
tggtgaagga gaacggcgag ccgaagatgg cctaccgcaa ctggaacaag aagatttacg   9480
ccctcgacct ctccaaggac gaggtgctca actggctctt cgacctcttc tcctccctcc   9540
gcaagatggg ctaccgctac ttcaagatcg acttcctctt cgcgggcgcc gtgccggggg   9600
agcgcaagaa gaacatcacc ccgatccagg ccttccgcaa gggcatcgag accatccgca   9660
aggccgtggg ggaggactcc ttcatcctcg ctgcggctc cccctcctc ccggccgtgg     9720
gctgcgtgga tggcatgcgc atcggcccgg acaccgcccc gttctgggga gagcacatcg   9780
aggacaacgg cgccccggcg gcccgctggg ccctccgcaa cgccatcacc cgctacttca   9840
```

70094 Syngenta

tgcacgaccg	cttctggctc	aacgacccgg	actgcctcat	cctccgcgag	gagaagaccg	9900
acctcaccca	gaaggagaag	gagctgtact	cctacacctg	cggcgttcta	gacaacatga	9960
tcatcgagtc	cgacgacctc	tccctcgtgc	gcgaccacgg	caagaaggtg	ctcaaggaga	10020
ccctcgagct	gctcgggggc	aggccgcgcg	tgcagaacat	catgtccgag	gacctccgct	10080
acgagatcgt	gtcctcgggc	accctctccg	gcaacgtgaa	gatcgtggtg	gacctcaact	10140
cccgcgagta	ccacctcgag	aaggagggca	agtcctccct	caagaagcgc	gtggtgaagc	10200
gggaggacgg	caggaacttc	tacttctacg	aggagggcga	gcgcgagtga	aagcttgacg	10260
tcactagtgc	gatcgcgcta	gccatggccg	gcctaggcgc	ccgggagatc	cccgaatttc	10320
cccgatcgtt	caaacatttg	gcaataaagt	ttcttaagat	tgaatcctgt	tgccggtctt	10380
gcgatgatta	tcatataatt	tctgttgaat	tacgttaagc	atgtaataat	taacatgtaa	10440
tgcatgacgt	tatttatgag	atgggttttt	atgattagag	tcccgcaatt	atacatttaa	10500
tacgcgatag	aaaacaaaat	atagcgcgca	aactaggata	aattatcgcg	cgcggtgtca	10560
tctatgttac	tagatcggga	attcctcgag	tctagacctg	cagg		10604

<210> 4
<211> 8757
<212> DNA
<213> Artificial

<220>
<223> pBSC11369

<400> 4

aagcttctgg	cagacaaagt	ggcagacata	ctgtcccaca	aatgaagatg	gaatctgtaa	60
aagaaaacgc	gtgaaataat	gcgtctgaca	aaggttaggt	cggctgcctt	taatcaatac	120
caaagtggtc	cctaccacga	tggaaaaact	gtgcagtcgg	tttggctttt	tctgacgaac	180
aaataagatt	cgtggccgac	aggtgggggt	ccaccatgtg	aaggcatctt	cagactccaa	240
taatggagca	atgacgtaag	ggcttacgaa	ataagtaagg	gtagtttggg	aaatgtccac	300
tcacccgtca	gtctataaat	acttagcccc	tccctcattg	ttaagggagc	aaggatccac	360
cggtcgccac	catggcccag	tccaagcacg	gcctgaccaa	ggagatgacc	atgaagtacc	420
gcatggaggg	ctgcgtggac	ggccacaagt	tcgtgatcac	cggcgagggc	atcggctacc	480
ccttcaaggg	caagcaggcc	atcaacctgt	gcgtggtgga	gggcggcccc	ttgcccttcg	540
ccgaggacat	cttgtccgcc	gccttcatgt	acggcaaccg	cgtgttcacc	gagtaccccc	600
aggacatcgt	cgactacttc	aagaactcct	gccccgccgg	ctacacctgg	gaccgctcct	660
tcctgttcga	ggacggcgcc	gtgtgcatct	gcaacgccga	catcaccgtg	agcgtggagg	720
agaactgcat	gtaccacgag	tccaagttct	acggcgtgaa	cttccccgcc	gacggccccg	780

Page 17

70094 Syngenta

```
tgatgaagaa gatgaccgac aactgggagc cctcctgcga gaagatcatc cccgtgccca    840

agcagggcat cttgaagggc gacgtgagca tgtacctgct gctgaaggac ggtggccgct    900

tgcgctgcca gttcgacacc gtgtacaagg ccaagtccgt gccccgcaag atgcccgact    960

ggcacttcat ccagcacaag ctgacccgcg aggaccgcag cgacgccaag aaccagaagt   1020

ggcacctgac cgagcacgcc atcgcctccg gctccgcctt gccctgctct agatcccgaa   1080

tttccccgat cgttcaaaca tttggcaata aagtttctta agattgaatc ctgttgccgg   1140

tcttgcgatg attatcatat aatttctgtt gaattacgtt aagcatgtaa taattaacat   1200

gtaatgcatg acgttattta tgagatgggt ttttatgatt agagtcccgc aattatacat   1260

ttaatacgcg atagaaaaca aaatatagcg cgcaaactag gataaattat cgcgcgcggt   1320

gtcatctatg ttactagatc gggaattggg gaaatttacc ggtgccgaat ttccccgatc   1380

cagcttctgg cagacaaagt ggcagacata ctgtcccaca aatgaagatg gaatctgtaa   1440

aagaaaacgc gtgaaataat gcgtctgaca aaggttaggt cggctgcctt taatcaatac   1500

caaagtggtc cctaccacga tggaaaaact gtgcagtcgg tttggctttt tctgacgaac   1560

aaataagatt cgtggccgac aggtgggggt ccaccatgtg aaggcatctt cagactccaa   1620

taatggagca atgacgtaag ggcttacgaa ataagtaagg gtagtttggg aaatgtccac   1680

tcacccgtca gtctataaat acttagcccc tccctcattg ttaagggagc aaggatccat   1740

gaaaaagcct gaactcaccg cgacgtctgt cgagaagttt ctgatcgaaa agttcgacag   1800

cgtctccgac ctgatgcagc tctcggaggg cgaagaatct cgtgctttca gcttcgatgt   1860

aggagggcgt ggatatgtcc tgcgggtaaa tagctgcgcc gatggtttct acaaagatcg   1920

ttatgtttat cggcactttg catcggccgc gctcccgatt ccggaagtgc ttgacattgg   1980

ggaattcagc gagagcctga cctattgcat ctcccgccgt gcacagggtg tcacgttgca   2040

agacctgcct gaaaccgaac tgcccgctgt tctgcagccg gtcgcggagg ccatggatgc   2100

gatcgctgcg gccgatctta gccagacgag cgggttcggc ccattcggac cgcaaggaat   2160

cggtcaatac actacatggc gtgatttcat atgcgcgatt gctgatcccc atgtgtatca   2220

ctggcaaact gtgatggacg acaccgtcag tgcgtccgtc gcgcaggctc tcgatgagct   2280

gatgctttgg ccgaggact gccccgaagt ccggcacctc gtgcacgcgg atttcggctc   2340

caacaatgtc ctgacggaca atggccgcat aacagcggtc attgactgga gcgaggcgat   2400

gttcgggat tcccaatacg aggtcgccaa catcttcttc tggaggccgt ggttggcttg   2460

tatggagcag cagacgcgct acttcgagcg gaggcatccg gagcttgcag gatcgccgcg   2520

gctccgggcg tatatgctcc gcattggtct tgaccaactc tatcagagct tggttgacgg   2580

caatttcgat gatgcagctt gggcgcaggg tcgatgcgac gcaatcgtcc gatccggagc   2640

cgggactgtc gggcgtacac aaatcgcccg cagaagcgcg gccgtctgga ccgatggctg   2700
```

Page 18

70094 Syngenta

```
tgtagaagta ctcgccgata gtggaaaccg acgccccagc actcgtccga gggcaaagga  2760
atagggatcc cccgaatttc cccgatcgtt caaacatttg gcaataaagt ttcttaagat  2820
tgaatcctgt tgccggtctt gcgatgatta tcatataatt tctgttgaat tacgttaagc  2880
atgtaataat taacatgtaa tgcatgacgt tatttatgag atgggttttt atgattagag  2940
tcccgcaatt atacatttaa tacgcgatag aaaacaaaat atagcgcgca aactaggata  3000
aattatcgcg cgcggtgtca tctatgttac tagatcggga attagcggcc cgaattcact  3060
ggccgtcgtt ttacaacgtc gtgactggga aaaccctggc gttacccaac ttaatcgcct  3120
tgcagcacat ccccctttcg ccaggggcgg ccagcatggc cgtatccgca atgtgttatt  3180
aagttgtcta agcgtcaatt tgtttacacc acaatatatc ctgccaccag ccagccaaca  3240
gctccccgac cggcagctcg gcacaaaatc accactcgat acaggcagcc catcagaatt  3300
aattctcatg tttgacagct tatcatcgac tgcacggtgc accaatgctt ctggcgtcag  3360
gcagccatcg gaagctgtgg tatggctgtg caggtcgtaa atcactgcat aattcgtgtc  3420
gctcaaggcg cactcccgtt ctggataatg ttttttgcgc cgacatcata acggttctgg  3480
caaatattct gaaatgagct gttgacaatt aatcatccgg ctcgtataat gtgtggaatt  3540
gtgagcggat aacaatttca cacaggaaac agaccatgag ggaagcgttg atcgccgaag  3600
tatcgactca actatcagag gtagttggcg tcatcgagcg ccatctcgaa ccgacgttgc  3660
tggccgtaca tttgtacggc tccgcagtgg atggcggcct gaagccacac agtgatattg  3720
atttgctggt tacggtgacc gtaaggcttg atgaaacaac gcggcgagct ttgatcaacg  3780
acctttttgga aacttcggct tcccctggag agagcgagat tctccgcgct gtagaagtca  3840
ccattgttgt gcacgacgac atcattccgt ggcgttatcc agctaagcgc gaactgcaat  3900
ttggagaatg gcagcgcaat gacattcttg caggtatctt cgagccagcc acgatcgaca  3960
ttgatctggc tatcttgctg acaaaagcaa gagaacatag cgttgccttg gtaggtccag  4020
cggcggagga actctttgat ccggttcctg aacaggatct atttgaggcg ctaaatgaaa  4080
ccttaacgct atggaactcg ccgcccgact gggctggcga tgagcgaaat gtagtgctta  4140
cgttgtcccg catttggtac agcgcagtaa ccggcaaaat cgcgccgaag gatgtcgctg  4200
ccgactgggc aatggagcgc ctgccggccc agtatcagcc cgtcatactt gaagctaggc  4260
aggcttatct tggacaagaa gatcgcttgg cctcgcgcgc agatcagttg gaagaatttg  4320
ttcactacgt gaaaggcgag atcaccaaag tagtcggcaa ataaagctct agtggatctc  4380
cgtacccggg gatctggctc gcggcggacg cacgacgccg gggcgagacc ataggcgatc  4440
tcctaaatca atagtagctg taacctcgaa gcgtttcact tgtaacaacg attgagaatt  4500
tttgtcataa aattgaaata cttggttcgc atttttgtca tccgcggtca gccgcaattc  4560
```

Page 19

70094 Syngenta

```
tgacgaactg cccatttagc tggagatgat tgtacatcct tcacgtgaaa atttctcaag   4620
cgctgtgaac aagggttcag attttagatt gaaaggtgag ccgttgaaac acgttcttct   4680
tgtcgatgac gacgtcgcta tgcggcatct tattattgaa taccttacga tccacgcctt   4740
caaagtgacc gcggtagccg acagcaccca gttcacaaga gtactctctt ccgcgacggt   4800
cgatgtcgtg gttgttgatc tagatttagg tcgtgaagat gggctcgaga tcgttcgtaa   4860
tctggcggca aagtctgata ttccaatcat aattatcagt ggcgaccgcc ttgaggagac   4920
ggataaagtt gttgcactcg agctaggagc aagtgatttt atcgctaagc cgttcagtat   4980
cagagagttt ctagcacgca ttcgggttgc cttgcgcgtg cgccccaacg ttgtccgctc   5040
caaagaccga cggtcttttt gttttactga ctggacactt aatctcaggc aacgtcgctt   5100
gatgtccgaa gctggcggtg aggtgaaact tacggcaggt gagttcaatc ttctcctcgc   5160
gtttttagag aaaccccgcg acgttctatc gcgcgagcaa cttctcattg ccagtcgagt   5220
acgcgacgag gaggtttatg acaggagtat agatgttctc attttgaggc tgcgccgcaa   5280
acttgaggca gatccgtcaa gccctcaact gataaaaaca gcaagaggtg ccggttattt   5340
ctttgacgcg gacgtgcagg tttcgcacgg ggggacgatg gcagcctgag ccaattccca   5400
gatccccgag gaatcggcgt gagcggtcgc aaaccatccg gcccggtaca aatcggcgcg   5460
gcgctgggtg atgacctggt ggagaagttg aaggccgcgc aggccgccca gcggcaacgc   5520
atcgaggcag aagcacgccc cggtgaatcg tggcaagcgg ccgctgatcg aatccgcaaa   5580
gaatcccggc aaccgccggc agccggtgcg ccgtcgatta ggaagccgcc caagggcgac   5640
gagcaaccag attttttcgt tccgatgctc tatgacgtgg cacccgcga tagtcgcagc   5700
atcatggacg tggccgtttt ccgtctgtcg aagcgtgacc gacgagctgg cgaggtgatc   5760
cgctacgagc ttccagacgg gcacgtagag gtttccgcag ggccggccgg catggccagt   5820
gtgtgggatt acgacctggt actgatggcg gtttcccatc taaccgaatc catgaaccga   5880
taccgggaag ggaagggaga caagcccggc cgcgtgttcc gtccacacgt tgcggacgta   5940
ctcaagttct gccggcgagc cgatggcgga aagcagaaag acgacctggt agaaacctgc   6000
attcggttaa acaccacgca cgttgccatg cagcgtacga agaaggccaa gaacggccgc   6060
ctggtgacgg tatccgaggg tgaagccttg attagccgct acaagatcgt aaagagcgaa   6120
accgggcggc cggagtacat cgagatcgag ctagctgatt ggatgtaccg cgagatcaca   6180
gaaggcaaga acccggacgt gctgacggtt caccccgatt acttttttgat cgatcccggc   6240
atcggccgtt ttctctaccg cctggcacgc cgcgccgcag gcaaggcaga agccagatgg   6300
ttgttcaaga cgatctacga acgcagtggc agcgccggag agttcaagaa gttctgtttc   6360
accgtgcgca agctgatcgg gtcaaatgac ctgccggagt acgatttgaa ggaggaggcg   6420
gggcaggctg ccccgatcct agtcatgcgc taccgcaacc tgatcgaggg cgaagcatcc   6480
```

Page 20

70094 Syngenta

```
gccggttcct aatgtacgga gcagatgcta gggcaaattg ccctagcagg ggaaaaaggt   6540
cgaaaaggtc tctttcctgt ggatagcacg tacattggga acccaaagcc gtacattggg   6600
aaccggaacc cgtacattgg gaacccaaag ccgtacattg ggaaccggtc acacatgtaa   6660
gtgactgata taaaagagaa aaaaggcgat ttttccgcct aaaactcttt aaaacttatt   6720
aaaactctta aaacccgcct ggcctgtgca taactgtctg gccagcgcac agccgaagag   6780
ctgcaaaaag cgcctaccct tcggtcgctg cgctccctac gccccgccgc ttcgcgtcgg   6840
cctatcgcgg ccgctggccg ctcaaaaatg gctggcctac ggccaggcaa tctaccaggg   6900
cgcggacaag ccgcgccgtc gccactcgac cgccggcgct gaggtctgcc tcgtgaagaa   6960
ggtgttgctg actcatacca ggcctgaatc gccccatcat ccagccagaa agtgagggag   7020
ccacggttga tgagagcttt gttgtaggtg accagttgg tgattttgaa cttttgcttt    7080
gccacggaac ggtctgcgtt gtcgggaaga tgcgtgatct gatccttcaa ctcagcaaaa   7140
gttcgattta ttcaacaaag ccgccgtccc gtcaagtcag cgtaatgctc tgccagtgtt   7200
acaaccaatt aaccaattct gattagaaaa actcatcgag catcaaatga aactgcaatt   7260
tattcatatc aggattatca ataccatatt tttgaaaaag ccgtttctgt aatgaaggag   7320
aaaactcacc gaggcagttc cataggatgg caagatcctg gtatcggtct gcgattccga   7380
ctcgtccaac atcaatacaa cctattaatt tcccctcgtc aaaaataagg ttatcaagtg   7440
agaaatcacc atgagtgacg actgaatccg gtgagaatgg caaaagctct gcattaatga   7500
atcggccaac gcgcggggag aggcggtttg cgtattgggc gctcttccgc ttcctcgctc   7560
actgactcgc tgcgctcggt cgttcggctg cggcgagcgg tatcagctca ctcaaaggcg   7620
gtaatacggt tatccacaga atcaggggat aacgcaggaa agaacatgtg agcaaaaggc   7680
cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc   7740
cccccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga   7800
ctataaagat accaggcgtt tccccctgga agctccctcg tgcgctctcc tgttccgacc   7860
ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcat   7920
agctcacgct gtaggtatct cagttcggtg taggtcgttc gctccaagct gggctgtgtg   7980
cacgaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc   8040
aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga   8100
gcgaggtatg taggcggtgc tacagagttc ttgaagtggt ggcctaacta cggctacact   8160
agaagaacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt   8220
ggtagctctt gatccggcaa acaaaccacc gctggtagcg tggtttttt tgtttgcaag    8280
cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg   8340
```

Page 21

70094 Syngenta

```
tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag attatcaaaa    8400
aggatcttca cctagatcct tttgatccgg aattaattcc tgtggttggc atgcacatac    8460
aaatggacga acggataaac cttttcacgc cctttaaat atccgattat tctaataaac     8520
gctcttttct cttaggttta cccgccaata tatcctgtca aacactgata gtttaaactg    8580
aaggcgggaa acgacaatct gatcatgagc ggagaattaa gggagtcacg ttatgacccc    8640
cgccgatgac gcgggacaag ccgttttacg tttggaactg acagaaccgc aacgctgcag    8700
gaattggccg cagcggccat ttaaatcaat tgggcgcgcc gaattcgagc tcggtac       8757
```